

Contents

Volume 51/13–15

Calcium sulfate scale deposition on coated carbon steel and titanium L.M. Al-Hadhrami, A. Quddus and D.A. Al-Otaibi (Dhahran, Saudi Arabia)	2521
Adsorption of lead from aqueous solution onto coir-pith activated carbon P. Kumar (Varanasi, India), R. Rao, S. Chand (Roorkee, India), S. Kumar (Pilani, India), K.L. Wasewar (Nagpur, India) and C.K. Yoo (Yongin, South Korea)	2529
Degradation of methyl violet by Fenton's reagent: kinetic modeling and effects of parameters X. Ou, C. Wang, F. Zhang, H. Sun and Wuyunna (Dalian, China)	2536
Integrated membrane pilot plant for refinery wastewater treatment in order to produce boiler feedwater M. Abbasi (Lamerd, Iran), M.R. Sebzari, S.R.H. Abadi, T. Mohammadi and M. Hemati (Tehran, Iran)	2543
Organic dye adsorption on activated carbon derived from solid waste A.A. Ahmad, A. Idris (Serdang, Malaysia) and B.H. Hameed (Penang, Malaysia)	2554
Evaluation of grinding Salix leaves (gsl) as new sorbent material I.M. El-Dien, A.A. Al-Sarawy, M.M. El-Halwany and A.A. Badawy (Dordrecht, Egypt)	2564
Ceramic membrane filtration as seawater RO pre-treatment: influencing factors on the ceramic membrane flux and quality Z. Cui, W. Peng, Y. Fan, W. Xing and N. Xu (Nanjing, China)	2575
Usage of permeate water for treated domestic wastewater by direct capillary nanofiltration membrane in agriculture reuse T.S. Jamil (Cairo, Egypt), I. Dijkstra and S. Sayed (Leeuwarden, The Netherlands)	2584
Effect of surface modification of activated carbon on its adsorption capacity for bromate L. Gu, D. Wang, R. Deng, H. Liu and H. Ai (Chongqing, China)	2592
Removal of boron by boron-selective adsorbent prepared using radiation induced grafting technique T.-M. Ting (Kajang, Malaysia), H. Hoshina, N. Seko and M. Tamada (Takasaki, Japan)	2602
Analysis of seasonal variations in the quality of water in a reservoir using GIS techniques C. González-García, S.G. Condado, M.J. García-García (Madrid, Spain) and D. Werenitzky (Santiago del Estero, Argentina)	2609
Photocatalytic degradation of some β -lactam antibiotics in aqueous suspension of ZnS nanoparticles H.R. Pouretedal (Shahin-Shahr, Iran) and M.A. Hasanali (Shahreza, Iran)	2617
Sorptive removal of lead (II) from water using chemically modified mulch of <i>Madhuca longifolia</i> and <i>Polyalthia longifolia</i> as novel biosorbents R. Rehman, J. Anwar and T. Mahmud (Lahore, Pakistan)	2624
Effects of operational parameters on cadmium removal from aqueous solutions by electrochemical coagulation S. Bayar, A.E. Yilmaz, R. Boncukcuoğlu, B.A. Fil and M.M. Kocakerim (Erzurum, Turkey)	2635
Pozzolan-based materials for stabilization/solidification of contaminated sludge with hazardous heavy metal: case study M.R. Lasheen, A.M. Ashmawy, H.S. Ibrahim and S.M.A. Moniem (Cairo, Egypt)	2644
Cellulose triacetate forward osmosis membranes: preparation and characterization G. Li, X.-M. Li, T. He, B. Jiang (Shanghai, China) and C. Gao (Qingdao, China)	2656
Preparation and characterization of composite membranes ceramic/PSf and ceramic/PA 66 P. Poletto, D. da Silva Biron, M. Zeni, C.P. Bergmann and V. dos Santos (Porto Alegre, Brazil)	2666

Remediation of brackish groundwater in United Arab Emirates using electrodialysis technique N. Eid and W. Elshorbagy (Al Ain, United Arab Emirates)	2672
Removal of Cr(VI) from wastewater by supported nanoscale zero-valent iron on granular activated carbon F. Fu, W. Han, C. Huang, B. Tang and M. Hu (Guangzhou, China)	2680
Electrolytic degradation of polyacrylamide in aqueous solution using a three-dimensional electrode reactor Z.-H. Kang, H.-K. Li (Beijing, China), Y.-H. Xu (Jingzhou, China) and L. Chen (Beijing, China)	2687
Coupling of physico-chemical treatment and steel membrane filtration to enhanced organic removal in wastewater treatment M.A.H. Johir, S. Vigneswaran, J. Kandasamy (Broadway, Australia) and R. Sleigh (Rose Bay, Australia)	2695
Sorption and kinetic properties of 2-(biphenyl-4-yl)-2-oxoacetaldehyde oxime towards Zn(II) ion O. Alici and I. Akin (Konya, Turkey)	2702
Electrocoagulation treatment of municipal wastewater in Torreon Mexico H. Moreno, J.R. Parga (Coahuila, Mexico), A.J. Gomes (Beaumont, USA) and M. Rodríguez (Coahuila, Mexico)	2710
The impact of optimised coagulation on membrane fouling for coagulation/ultrafiltration process M. Dixon, C. Staaks, R. Fabris, V. Vimonses, C.W.K. Chow (South Australia, Australia), S. Panglisch (Mülheim an der Ruhr, Germany), J.A. van Leeuwen and M. Drikas (South Australia, Australia)	2718
Modeling of adsorption isotherms and kinetics of Remazol Red RB adsorption from aqueous solution by modified clay S. Karaca, A. Gürses, Ö. Açışlı, A. Hassani, M. Kiranşan and K. Yıkılmaz (Erzurum, Turkey)	2726
A modified coating method for preparing a mono-valent perm-selective cation exchange membrane: I. The evolution of membrane property corresponding to different preparing stages T.-T. Yao, M. Wang, Y.-X. Jia and P.-F. Zhou (Qingdao, China)	2740
Use of the desalination brines in the saturation of membrane electrolysis feed M. Turek, K. Mitko, M. Chorążewska and P. Dydo (Gliwice, Poland)	2749
Development of a transient model for the desalination of sea/brackish water through reverse osmosis S. Sobana (Chennai, India) and R.C. Panda (Perth, Australia)	2755
Identification of a newly isolated microalga from a local pond and evaluation of its growth and nutrients removal potential in swine breeding effluent H. Cheng and G. Tian (Hangzhou, China)	2768
Organic pollutants removal and recovery from animal wastewater by mesoporous struvite precipitation E.L. Foletto, W.R.B. dos Santos, S.L. Jahn, M.M. Bassaco, M.A. Mazutti, A. Cancelier (Santa Maria, Brazil) and A. Gündel (Bagé, Brazil)	2776
Optimization of process factors for the efficient generation of biogas from raw vegetable wastes under the direct influence of plastic materials using Taguchi methodology D. Mukhopadhyay, J.P. Sarkar and S. Dutta (Durgapur, India)	2781
Synthesis and characterization of a dewatering reagent: cationic polyacrylamide (P(AM-DMC-DAC)) for activated sludge dewatering treatment J. Zhu, H. Zheng, Z. Jiang, Z. Zhang, L. Liu, Y. Sun and T. Tshukudu (Chongqing, China)	2791
Photocatalytic degradation of azo pyridone dye: Optimization using response surface methodology J. Dostanić, D. Lončarević, L. Rožić, S. Petrović, D. Mijin and D.M. Jovanović (Belgrade, Republic of Serbia)	2802
Mineralization of Methyl Orange-containing wastewater by integrated anaerobic and aerobic processes using spent granular activated carbon-biofilm under sequencing batch reactor operation S.-A. Ong, L.-N. Ho, Y.-S. Wong, K. Raman and R. Bahari (Arau, Perlis, Malaysia)	2813
Treatment of explosive-contaminated wastewater through the Fenton process P. Tanvanit, J. Anotai (Bangkok, Thailand), C.-C. Su and M.-C. Lu (Tainan, Taiwan)	2820

VIS-light-induced photocatalytic degradation of methylene blue (MB) dye using PoPD/TiO ₂ composite photocatalysts H.-L. Wang, D.-Y. Zhao and W.-F. Jiang (Dalian, China)	2826
Large-scale water desalination methods: a review and new perspectives D.S. Likhachev and F.-C. Li (Harbin, China)	2835
Relationships between mechanically induced hydrodynamics and membrane fouling in a novel rotating membrane bioreactor T. Jiang, H. Zhang, F. Yang (Dalian, China), D. Gao (Harbin, China) and H. Du (Dalian, China)	2849
Exergetic analysis on the two-stage reverse osmosis seawater desalination system X. Wang and Y. Tang (Guangzhou, China)	2861
Guest editorial P. Samaras, A.I. Zouboulis and S.D. Sklari (Thessaloniki, Greece)	2870
<i>Third International Conference on Environmental Management, Engineering, Planning and Economics (CEMEPE 2011) & SECOTOX Conference, 19–24, June 2011, Skiathos Island, Greece</i>	
Comparative study of As(V) removal by ferric coagulation and oxy-hydroxides adsorption: laboratory and full-scale case studies S. Tresintsi, K. Simeonidis, A. Zouboulis and M. Mitrakas (Thessaloniki, Greece)	2871
Equilibrium and thermodynamic investigation of methylene blue adsorption on thermal- and acid-activated clay minerals A. Gil (Pamplona, Spain), Y. El Mouzdaahir, A. Elmchaouri (Mohammedia, Morocco), M.A. Vicente (Salamanca, Spain) and S.A. Korili (Mohammedia, Morocco)	2880
Electrochemical removal of bromate from drinking water K. Matziaris (Thessaloniki, Greece), C. Polatides (Volos, Greece), I. Katsounaros and G. Kyriacou (Thessaloniki, Greece)	2888
Phosphate adsorption from natural waters and evaluation of sediment capping using modified clays M. Zamparas, Y. Deligiannakis and I. Zacharias (Agrinio, Greece)	2894
Removal of lead from aqueous solutions by using chestnut shell as an adsorbent R. Ertaş and N. Öztürk (Eskisehir, Turkey)	2902
Removal of Cr(VI) from aqueous solution onto chestnut shell: application of full factorial design and equilibrium studies R. Ertaş and N. Öztürk (Eskisehir, Turkey)	2908
Removal of uranium from contaminated drinking water: a mini review of available treatment methods I.A. Katsoyiannis and A.I. Zouboulis (Thessaloniki, Greece)	2914
Reduction of nitrate by copper-coated ZVI nanoparticles D. Sparis, C. Mystrioti, A. Xenidis and N. Papassiopi (Athens, Greece)	2925
Trophic state and oceanographic conditions of Amvrakikos Gulf: evaluation and monitoring K. Kountoura and I. Zacharias (Agrinio, Greece)	2933
Comparison of different methods to estimate actual evapotranspiration and hydrologic balance K. Gudulas (Kozani, Greece), K. Voudouris, G. Soulios and G. Dimopoulos (Thessaloniki, Greece)	2944
A mathematical programming approach to restore the water balance of the hydrological basin of Lake Koronia V. Manakou (Volos, Greece), P. Tsakiris (London, UK) and A. Kungolos (Volos, Greece)	2954
Utilization of a multi-parameter sensor network for online monitoring of the water quality in the lignite mining area of Kozani, Greece A. Sfikas (Ptolemaida, Greece), P. Angelidis (Kozani, Greece), P. Samaras (Thessaloniki, Greece), S. Zoras (Xanthi, Greece) and V. Evangelopoulos (Ptolemaida, Greece)	2976
Statistical analysis techniques for the assessment of the toxicity of raw surface water intended for human consumption—a case study E.M. Smeti, D.E. Koronakis (Athens, Greece) and S.K. Golfinopoulos (Chios, Greece)	2986

A new set of water losses-related performance indicators focused on areas facing water scarcity conditions V. Kanakoudis, S. Tsitsifli (Volos, Greece), P. Samaras, A. Zouboulis (Thessaloniki, Greece) and P. Banovec (Ljubljana, Slovenia)	2993
Septage treatment using a combined waste stabilization ponds—vertical flow constructed wetland system M. Tsalkatidou, M. Gratziou and N. Kotsovinos (Xanthi, Greece)	3010
Use of waste stabilization ponds' systems in Mediterranean Europe M. Gratziou and M. Chalatsi (Xanthi, Greece)	3017
Internal oxygen dynamics in rhizomes of <i>Phragmites australis</i> and presence of methanotrophs in root biofilms in a constructed wetland for wastewater treatment A. Faußer (Ulm, Germany), J. Dušek, H. Čížkova (v.v.i. České Budějovice, Czech Republic), M. Hoppert (Göttingen, Germany), P. Walther and M. Kazda (Ulm, Germany)	3025
BTEX removal in pilot-scale horizontal subsurface flow constructed wetlands E. Ranieri (Bari, Italy), P. Gikas (Chania, Greece) and G. Tchobanoglous (Davis, USA)	3031
Performance evaluation of the Martaş Port Waste Reception Facility Treatment Plant (Tekirdağ, Turkey) E. Subaşı and N. Doğan-Sağlamtimur (Niğde, Turkey)	3039
Implementation of natural zeolite for filtration of secondary municipal effluents D. Alkas, B.B. Baykal and C. Kinaci (Istanbul, Turkey)	3046
Removal of heavy metals from leachates using organic/inorganic permeable reactive barriers K. Komnitsas, G. Bazdanis (Chania, Greece), G. Bartzas (Athens, Greece), E. Sahinkaya (Istanbul, Turkey) and D. Zaharaki (Chania, Greece)	3051
Layered compact textiles applied in fixed-bed column as filters for dye-rich textile wastewaters treatment—a case study A. Ojstršek and D. Fakin (Maribor, Slovenia)	3059
Implementation of Fenton process on wastewater from a cheese-making factory A. Vlyssides, E. Tsimas, E.M. Barampouti, S. Mai and A. Stamatoglou (Zografou, Greece)	3068
Synthesis of TiO ₂ using sol-gel method and comparison of photocatalytic characteristics Alka, K.M. Choi, Y.H. Kim and S.M. Lee (Gangwondo, Korea)	3075
Proposed treatment applicable scenario for the treatment of domestic sewage sludge which is produced from a sewage treatment plant under warm climates conditions A.A. Zorpas (Latsia, Cyprus), I. Voukkali and P. Loizia (Paralimni, Cyprus)	3080
<i>Presented at the International Conference on Desalination for the Environment, Clean Water and Energy, European Desalination Society, April 23–26, 2012, Barcelona, Spain</i>	
The performance of immobilized membrane bioreactor with different membrane operation modes C.-H. Wang, K.-K. Ng, J.C.-W. Liu, C.-J. Wu, C.-F. Lin (Taipei, Taiwan) and P.-K.A. Hong (Salt Lake City, USA)	3089
Author Index	3096