

Contents
Volume 52/16–18

Hybrid thermal–thermal desalination structures G.M. Zak and A. Mitsos (Cambridge, MA, USA).....	2905
Internal versus external submerged membrane bioreactor configurations for dairy wastewater treatment L. Hamdan de Andrade, F.D. dos Santos Mendes, J. Cawettire Espindola and M.C. Santos Amaral (Belo Horizonte, Brazil).....	2920
Performance of membrane bioreactor in presence of flocculants N. Nouri, M.R. Mehrnia, M.H. Sarrafzadeh and R. Nabizadeh (Tehran, Iran)	2933
Performance evaluation of five years operation experience of WMZM RO desalination plant A.Y. Yassin and I. Ghadour (Amman, Jordan)	2939
Electrical conductivity as a novel technique for control of lime softening process M.C. Amiri (Isfahan), M. Ostovar (Tehran) and S.M. Shariat Pannahi (Isfahan, Iran)	2956
Evaluation of pervaporation condition and synthesis gels for NaA zeolite membranes M. Kazemimoghadam and T. Mohammadi (Tehran, Iran).....	2966
Reduction of COD in water-based paint wastewater using three types of activated carbon F.M.S.E. El-Dars, M.A. Ibrahim (Helwan) and A.M.E. Gabr (El-Obour, Egypt)	2975
Uptake of NOM fractions by anion-exchange resins in demineralization plants M. Pürschel (Zittau), E. Worch (Dresden) and V. Ender (Zittau, Germany).....	2987
Treatment of oily wastewater from waste glycerol by acidification and the coalescer process H. Kosal, W. Pattanachot and C. Suksaroj (Hat Yai, Thailand)	2996
Toxicity evolution of alum-coagulated municipal wastewater to sea urchin embryogenesis and fertilization M. Guida, G. Pagano (Naples, Italy), C. Della Rocca (Salerno, Italy) and S. Meriç (Çorlu, Turkey).....	3004
A novel method to estimate the specific gravity and refractive index of seawater A. Bahadori (Lismore, Australia), S. Zendehboudi (Waterloo, Canada), M. Bahadori (Tehran, Iran) and G. Zahedi (Rolla, MO, USA)	3012
Formation potential of N-nitrosamines during the disinfection of treated wastewaters with sodium hypochlorite A. Garcia-Rodríguez, C. Fontàs and V. Matamoros (Girona, Spain)	3019
Purification of UF-treated anaerobically digested manure wastewater by two-pass reverse osmosis X. Guo and X. Jin (Beijing, China)	3027
Water entropy-driven electrochemical relaxation of dissolved oxygen in aerated refinery wastewater M.M. Ševaljević (Novi Sad, Serbia), M.M. Stanojević (Belgrade, Serbia), S.N. Simić (Modriča, Bosnia and Herzegovina) and M.V. Ševaljević (Zrenjanin, Serbia)	3035
The effect of initial pH on treatment of poultry slaughterhouse wastewater by electrocoagulation method S. Bayar (Erzurum), Y. Yıldız (Kayseri), A. Yılmaz (Erzurum) and A.S. Koparal (Eskişehir, Turkey).....	3047
The photocatalytic degradation and kinetic analysis of BTEX components in polluted wastewater by UV/H ₂ O ₂ -based advanced oxidation M. Bahmani, V. Bitarafhaghghi, K. Badr, P. Keshavarz and D. Mowla (Shiraz, Iran)	3054
Effects of partial ozonation on activated sludge process for the minimization of excess sludge production during biological treatment O. Demir (Sanliurfa) and A. Filibeli (Buca-Izmir, Turkey).....	3063
Construction and exploration of pollutant consumption oxygen equivalent treatment costs in municipal wastewater treatment plants Q. Zhang, H. Huang and B. Fu (Chongqing, China)	3076
Oil removal in a biosorption column using immobilized <i>M. rouxii</i> biomass A. Srinivasan (Vancouver) and T. Viraraghavan (Regina, Canada).....	3085
Removal of superparamagnetic corrosion products and contaminants from drinking water using activated carbon A.L. Pulvirenti (Washington, DC and Rockville, MD), A. Barkatt, M.A. Adel-Hadadi, A.N. Thorpe (Washington, DC), F.E. Senftle (Washington, DC and Gaithersburg, MD) and J.R. Grant (Washington, DC, USA)	3096
Magnetic adsorbent used in combination with ultrafiltration membrane for the removal of surfactants from water M. Zahoor (Chakdara, Pakistan)	3104

Chicken bone ash as an efficient metal biosorbent for cadmium, lead, nickel, and zinc from aqueous solutions M. Ghiaci, N. Dorostkar (Isfahan, Iran) and A. Gil (Pamplona, Spain).....	3115
Removal of chromium(VI) from waste water by using adsorbent prepared from green coconut shell S. Kumar and B.C. Meikap (Kharagpur, India)	3122
Sorption-reduction removal of Cr(VI) from aqueous solution by the porous biomorph–genetic composite of α -Fe ₂ O ₃ /Fe ₃ O ₄ /C with eucalyptus wood hierarchical microstructure Z. Zhu (Nanning and Guilin), Y. Zhu (Guilin), F. Yang (Nanjing), X. Zhang, H. Qin, Y. Liang and J. Liu (Guilin, China)	3133
Effect of solvent type on removal and recovery of hexavalent chromium from industrial wastewaters M.M. Hossain (Al Ain, UAE).....	3147
Fe(III) removal by activated carbon produced from Egyptian rice straw by chemical activation M.E. Ossman, M. Abdel Fatah and N.A. Taha (Alexandria, Egypt).....	3159
A novel approach for the adsorption of cadmium ions in aqueous solution by dead calcareous skeletons A.P. Lim and A.Z. Aris (Selangor, Malaysia)	3169
Adsorption of As(III) from aqueous solutions by iron-impregnated quartz, lignite, and silica sand: kinetic study and equilibrium isotherm analysis S.B. Gautam (Kanpur), R.C. Vaishya (Allahabad), G.L. Devnani (Kanpur) and A.K. Mathur (Lucknow, India).....	3178
Arsenic accumulation and chemical fraction distribution changes in sludge in a low-sludge wastewater treatment system T. Wan, G. Zhang, F. Gao, S. Yu, P. Wu (Harbin) and H. Wang (Beijing, China).....	3191
Removal of lead(II) from water by di (2-ethylhexyl) phosphate containing ion exchange resin Ö. Arar (Izmir, Turkey).....	3197
High capacity removal of silver(I) and lead(II) ions by modified polyacrylonitrile from aqueous solutions G. Kiani (Tabriz) and M. Soltanzadeh (Ahar, Iran)	3206
Transport of Pb(II) by supported liquid membrane containing p-tert-butyl calix[4]amine derivative as carrier A. Kaya, T. Kutlu, A. Hol, A. Surucu and H.K. Alpoguz (Denizli, Turkey)	3219
Assessment of kinetics, thermodynamics, and equilibrium parameters of Cu(II) adsorption onto <i>Rosa canina</i> seeds H. Serencam (Bayburt), D. Ozdes (Gumushane), C. Duran and H.B. Senturk (Trabzon, Turkey)	3226
Factorial design in optimization of extraction procedure for copper (II) using Aliquat 336 and tri-n-butylphosphate based supported liquid membrane B. Medjahed, M.A. Didi (Tlemcen, Algeria) and D. Villemain (Caen, France)	3237
Study on adsorption, regeneration, and reuse of crosslinked chitosan graft copolymers for Cu(II) ion removal from aqueous solutions A. Bal (İstanbul), B. Özkahraman (Çorum), I. Acar, M. Özyürek and G. Güçlü (İstanbul, Turkey)	3246
Removal of Cu ²⁺ and Cd ²⁺ , and humic acid and phenol by electrocoagulation using iron electrodes D. Ghernaout, S. Irki and A. Boucherit (Blida, Algeria)	3256
Speciation and stabilization of some heavy metals in the sediments from drains, Egypt M.R. Lasheen and N.S. Ammar (Giza, Egypt)	3271
Evaluation of disinfection efficacy of performic acid (PFA) catalyzed by sulfuric and ascorbic acids tested on <i>Escherichia coli</i> (ATCC, 8739) S. Yousefzadeh, R. Nabizadeh, A. Mesdaghinia, S. Nasseri, P. Hezarkhani, M. Beikzadeh and M. Valadi Amin (Tehran, Iran)	3280
Evaluation of Jordanian treated natural zeolite for the uptake of p-nitrophenol from wastewater by continuous column method H.M. Baker (Mafraq, Jordan)	3290
Tannic acid adsorption/desorption study onto/from commercial activated carbon S. Singh and J.P. Kushwaha (Patiala, India)	3301
Treatment experiments for removal of hydrogen sulfide from saline groundwater in Kuwait A. Al-Haddad, E. Azrag and A. Mukhopadhyay (Safat, Kuwait)	3312
Photodegradation of dimethyldisulfide by heterogeneous catalysis using nanoCdS and nanoCdO embedded on the zeolite A synthesized from waste porcelain A. Nezamzadeh-Ejhieh and Z. Banan (Shahreza, Iran)	3328
Batch equilibrium and kinetic studies of naphthalene and pyrene adsorption onto coconut shell as low-cost adsorbent C.N. Owabor (Benin-City) and S.E. Agarry (Ogbomoso, Nigeria)	3338
Effect of liquid phase physicochemical characteristics on hydrodynamics of an electroflootation column I. Ksentini, M. Kotti and L. Ben Mansour (Sfax, Tunisia)	3347
Treatment of cyanide bearing effluents by adsorption, biodegradation and combined processes: effect of process parameters Rajesh Roshan Dash (Bhubaneswar), Rakesh Roshan Dash (Burla) and C. Balomajumdar (Roorkee, India)	3355

Adsorption of fluoride ions onto non-thermal plasma-modified CeO ₂ /Al ₂ O ₃ composites T. Zhang, Q. Li (Qinhuangdao), Z. Mei (Nanjing), H. Xiao, H. Lu (Qinhuangdao) and Y. Zhou (Nanjing, China)	3367
Photodecomposition of dimethyl phthalate in an aqueous solution with UV radiation using novel catalysts Y.-H. Chen, N.-C. Shang (Taipei), L.-L. Chen (Kaohsiung), C.-Y. Chang, P.-C. Chiang, C.-Y. Hu and C.-H. Chang (Taipei, Taiwan)	3377
Supported Co ₃ O ₄ on expanded graphite as a catalyst for the degradation of Orange II in water using sulfate radicals P. Shi, S. Zhu, H. Zheng, D. Li and S. Xu (Shanghai, China)	3384
Enhanced photocatalytic activity of titanium dioxide by β-cyclodextrin in decoloration of Acid Yellow 99 dye S. Pitchaimuthu, S. Rajalakshmi, N. Kannan and P. Velusamy (Sivakasi, India)	3392
Enhancing decolorization of Eriochrome Blue Black R during nano-size zero-valent iron treatment using ultrasonic irradiation S.S. Khaloo and S. Fattahi (Tehran, Iran)	3403
Removal of Acid Blue 29 in aqueous solution by Fenton and Fenton-like processes M.K. Sahoo and L. Sayoo (Shillong, India)	3411
Removal of reactive yellow dye by adsorption onto activated carbon using simulated wastewater A.H. Sulaymon and W.M. Abood (Baghdad, Iraq)	3421
Photocatalytic effect of β-cyclodextrin on semiconductors for the removal of Acid Violet dye under UV light irradiation S. Rajalakshmi, S. Pitchaimuthu, N. Kannan and P. Velusamy (Sivakasi, India)	3432
Removal of detergents from water by adsorption on activated carbons obtained from various precursors B. Tsyntsarski, B. Petrova, T. Budinova, N. Petrov, D.K. Teodosiev (Sofia, Bulgaria), A. Sarbu, T. Sandu (Bucharest, Romania), M.F. Yardim and A. Sirkecioglu (Istanbul, Turkey)	3445
Author Index	3453