

Contents

Volume 57 Issue 14

| | |
|--|------|
| Effect of pressure on fouling of microfiltration membranes by activated sludge M.K. Jørgensen (Aalborg Øst, Denmark and Boulder, CO, USA), E. Kujundzic and A.R. Greenberg (Boulder, CO, USA) | 6159 |
| Dual stage PRO process: impact of the membrane materials of the process performance A. Altaee (Paisley, UK and Doha, Qatar), A.F. Ismail (Johor Bahru, Malaysia), A. Sharif (Doha, Qatar) and G. Zaragoza (Tabernas, Spain) | 6172 |
| Dead-end filtration of jet loop bioreactor and activated sludge suspensions S. Bayar, A. Karagunduz and B. Keskinler (Gebze, Turkey) | 6184 |
| Selecting aeration in a PVDF flat-sheet membrane bioreactor for municipal wastewater treatment Weiwei Chen, Yuchen Liu and Jinrong Liu (Hohhot, China) | 6193 |
| Enhancement of anaerobic digestive efficiency by the use of exchange resin to remove cations in sewage sludge Xiaohu Dai, Ning Ye, Fan Luo and Bin Dong (Shanghai, China) | 6202 |
| Correlation for Lewis number for evaluation of mass flow rate for simple/hybrid solar still K. Hidouri and S. Gabsi (Gabès, Tunisia)..... | 6209 |
| Effect of cations on simultaneous enhancement of dewaterability and settleability of activated sludge under mild thermal treatment Jie Yu, Yan Zhao (Ningbo), Xianfa Ma (Hangzhou) and Chaoqin Bai (Luoyang, China)..... | 6217 |
| Puffing as a totally green method for monitoring of hot/cold lime softening process M.C. Amiri, P. Jafari (Isfahan, Iran) and S. Amiri (Edmonton, Canada) | 6224 |
| New method for the adsorption of organic pollutants using natural zeolite incinerator ash (ZIA) and its application as an environmentally friendly and cost-effective adsorbent F. Mateen, I. Javed, U. Rafique, N. Tabassum (Rawalpindi), M. Sarfraz (Faisalabad, Pakistan), S.Z. Safi, I. Yusoff and M.A. Ashraf (Kuala Lumpur, Malaysia) | 6230 |
| Volume and mass reduction of sludge formed by polymerized-organic-Al-Zn-Fe (POAZF) coagulant in treating sewage Ying Fu, Yan-Zheng Wang and Man-Man Su (Jinan, China) | 6239 |
| Treatment of pyridine-bearing wastewater by Nano Zero-valent iron supported on activated carbon derived from agricultural waste V. Gosu, B.R. Gurjar (Roorkee, India), R.Y. Surampalli and T.C. Zhang (Omaha, NE, USA) | 6250 |
| Feasibility study and process optimization of citric acid wastewater treatment and biomass production by photosynthetic bacteria Qin Zhou, Guangming Zhang (Beijing), Yufeng Lu and Pan Wu (Harbin, China)..... | 6261 |
| Kinetic studies on novel cation exchangers, antimony zirconium phosphate (SbZP) and antimony zirconium triethylammonium phosphate (SbZTP) B. Preetha (Thiruvananthapuram) and C. Janardanan (Kannur, India)..... | 6268 |
| The anaerobic treatment of pharmaceutical industry wastewater in an anaerobic batch and upflow packed-bed reactor B. Akcal Comoglu, C. Filik Iscen and S. Ilhan (Eskisehir, Turkey)..... | 6278 |
| Fluorescence, absorbance, and ion exchange: coupling analysis with water treatment for improved insight on copper complexation with natural organic matter T. de Torres and T.H. Boyer (Gainesville, FL, USA) | 6290 |
| Characterization and performance of poly-silicic-cation coagulant in treatment of recycled paper wastewater Chao He, Ran Li, Zongkuan Liu and Zhaolin Gu (Xi'an, China) | 6302 |
| Optimization and modeling of preparation conditions of poly-Si-Fe-Zn (PSFZ) coagulant from industrial wastes using response surface methodology Ming Li, Yanzhen Yu, Yan Feng and Juan Tan (Jinan, China) | 6310 |

| | |
|---|------|
| Predictive equations for the defluoridation by electrocoagulation technique using bipolar aluminum electrodes in the absence and presence of additives: a multivariate study M.M. Naim, A.A. Moneer and G.F. El-Said (Alexandria, Egypt) | 6320 |
| Adsorption potential of 2,4-dichlorophenol onto cationic surfactant-modified phoenix tree leaf in batch mode Fengxiao Ren, Randi Zhang, Wenzhan Lu, Tong Zhou, Runping Han and Shusheng Zhang (Zhengzhou, China) | 6333 |
| A comparative study on vermicfiltration using epigeic earthworm <i>Eisenia fetida</i> and <i>Eudrilus eugeniae</i> T. Kumar, A. Rajpal, S. Arora, R. Bhargava, K.S. Hari Prasad and A.A. Kazmi (Roorkee, India) | 6347 |
| Photocatalytic decoloration of three commercial dyes in aqueous phase and industrial effluents using TiO ₂ nanoparticles H. Soni, J.I.N. Kumar (Vallabh Vidyanagar), K. Patel (New Vallabh Vidyanagar) and R.N. Kumar (Vallabh Vidyanagar, India) | 6355 |
| Study the photocatalysis activity of hydrothermal-synthesized BiVO ₄ -graphene composite on methylene blue Xiang Cai (Foshan), Bing Zhang, Lei Shi, Huidi Liu, Jinglin Zhang, Langhuan Huang and Shaozao Tan (Guangzhou, China) | 6365 |
| Removal of cationic dyes by poly(AA- <i>co</i> -AMPS)/montmorillonite nanocomposite hydrogel H. Hosseinzadeh (Tehran) and N. Khoshnood (Urmia, Iran)..... | 6372 |
| Performance study on algal alginate as natural coagulant for the removal of Congo red dye G. Vijayaraghavan (Vellore and Melmaruvathur) and S. Shanthakumar (Vellore, India)..... | 6384 |
| Comparison of azo dye AR88 degradation efficiency using various oxidant systems Danni Yang, Yitian Liu, Juan Mo, Xia Jiang and Zhishan Yang (Chengdu, China) | 6393 |
| Bioremoval of an azo textile dye, Reactive Red 198, by <i>Rhizopus oryzae</i> A. Esmaeili and M. Kalantari (Tehran, Iran)..... | 6401 |
| Optimization and evaluation of reactive dye adsorption on magnetic composite of activated carbon and iron oxide R. Rezaei Kalantry, A. Jonidi Jafari, A. Esrafil (Tehran), B. Kakavandi (Ahvaz), A. Gholizadeh (Bojnurd) and A. Azari (Tehran, Iran)..... | 6411 |
| Malachite green and crystal violet biosorption onto coco-peat: characterization and removal studies K. Vijayaraghavan, Y. Premkumar (Chennai) and J. Jegan (Ramanathapuram, India) | 6423 |
| Chemically oxidized pineapple fruit peel for the biosorption of heavy metals from aqueous solutions A. Ahmad, A. Khatoon, S.-H. Mohd-Setapar (Skudai, Malaysia), R. Kumar (Jeddah, Saudi Arabia) and M. Rafatullah (Penang, Malaysia) | 6432 |
| Sorption and separation study of heavy metal ions using cerium phosphate: a cation exchanger T. Parangi (Vadodara), B. Wani (Mumbai) and U. Chudasama (Vadodara, India)..... | 6443 |
| Removal of Cd(II) and Pb(II) from aqueous solutions by modified polyvinyl alcohol Jiang Haiyan (Chengdu and Guangzhou), Zhao Qiuxiang (Guangzhou) and Zeng Ying (Chengdu, China) | 6452 |
| Nano-ZnO-loaded poly (acrylamide- <i>co</i> -itaconic acid) hydrogel as adsorbent for effective removal of iron from contaminated water N. Sharma and A. Tiwari (Durg, India)..... | 6463 |
| Diazabeno crowns grafted on the polystyrene and application of extraction of metal cations M. Dardouri, A. Bel Hadj Amor and F. Meganem (Bizerte, Tunisia)..... | 6477 |
| Adsorption of copper ions onto nano-scale zero-valent iron impregnated cashew nut shell D. Prabu, R. Parthiban, P. Senthil Kumar, N. Kumari and P. Saikia (Chennai, India)..... | 6487 |
| Pectin/poly(acrylamide- <i>co</i> -acrylamidoglycolic acid) pH sensitive semi-IPN hydrogels: selective removal of Cu ²⁺ and Ni ²⁺ , modeling, and kinetic studies N. Sivagangi Reddy (Kadapa, India), K. Madhusudana Rao (Busan, Korea), T.J. Sudha Vani, K.S.V. Krishna Rao (Kadapa, India) and Yong Ill Lee (Changwon, Korea) | 6503 |
| Neuro-fuzzy modeling of Cu(II) and Cr(VI) adsorption from aqueous solution by wheat straw S. Rebouh, M. Bouhedda and S. Hanini (Medea, Algeria) | 6515 |
| Milled goethite nanocrystalline for selective and fast uptake of cadmium ions from aqueous solution L. Khezami, M. Ould M'hamed, O.M. Lemine (Riyadh, Saudi Arabia), M. Bououdina (Manama, Bahrain) and A. Bessadok-Jemai (Riyadh, Saudi Arabia) | 6531 |
| Simultaneous adsorption of lead (II) and 3,7-Bis(dimethylamino)-phenothiazin-5-iium chloride from aqueous solution by activated carbon prepared from plantain peels E.I. Inam (Uyo, Nigeria), U.J. Etim (Qingdao, China), E.G. Akpabio and S.A. Umoren (Uyo, Nigeria) | 6540 |

| | |
|---|------|
| Investigation of synchronous arsenic and salinity rejection via nanofiltration system and membrane cleaning Wenli Jiang, Xueli Gao, Lu Xu and Jian Wang (Qingdao, China)..... | 6554 |
| Study of removal process of manganese using synthetic calcium hydroxyapatite from an aqueous solution D. Gogoi, A.G. Shanmugamani, S.V.S. Rao, T. Kumar and S. Velmurugan (Kalpakkam, India) | 6566 |
| Biosorption of Mn(II) by ripped Citrus paradisi pulp waste S. Naveed, H.N. Bhatti (Faisalabad), M. Kazmi, T. Ishfaq, A. Ikhlaq (Lahore) and H. Fatima (Islamabad, Pakistan)..... | 6574 |
| Preparation and sorption behavior of DEAE-cellulose-thiourea-glutaraldehyde sorbent for Pt(IV) and Pd(II) from leaching solutions M.H. Morcali, B. Zeytuncu, S. Akman and O. Yucel (Istanbul, Turkey) | 6582 |
| Synthesis and characterization of mackinawite nanocrystals (FeS_m) and their application in recovery of aqueous Hg(II) solution S.M. Alshehri, A. Aldalbahi, T. Ahamad and N. Alhokbany (Riyadh, Saudi Arabia)..... | 6594 |
| Optimizing Fenton process for the removal of amoxicillin from the aqueous phase using Taguchi method M. Dehghani (Shiraz), S. Behzadi and M.S. Sekhavatjou (Ahwaz, Iran) | 6604 |
| Adsorption of 2,4,6-trichlorophenol by magnetic mesoporous SiO_2 and the adsorption capacity regeneration by UV photolysis Jie Cui (Jingzhou and Wuhan), Xiaoliang Ma (Wuhan), Xiaogang Wu (Jingzhou) and Xu Zhang (Wuhan, China) | 6614 |
| Adsorption of fluoride from aqueous solution by Bio-F sorbent: a fixed-bed column study M. Yadav, P. Tripathi, A. Choudhary, U. Brighu and S. Mathur (Jaipur, India)..... | 6624 |
| Author Index..... | 6632 |