

 **Contents**
Volume 17

Selected reviewed papers presented at Aseania 2009 – Fifth Conference of the Aseanian Membrane Society, "Recent Progresses in Membrane Science and Technology", 12–14 July 2009, Kobe, Japan

Editorial

T. Tsuru (Hiroshima), H. Matsuyama (Kobe), M. Higa (Yamaguchi) and T. Yoshioka (Hiroshima, Japan)	1
Sorption of water vapor of EVAL/PAA blend nano-nonwovens modified by layer-by-layer technique	
T. Kouzu, Y. Hirata and K. Hamada (Nagano, Japan).....	2
Enhancing filterability of flat-sheet membrane by addition of cationic polymer for sludge thickening system	
R.C. Eusebio, H.-G. Kim (Kyonggi-Do), T.-H. Chung (Seoul) and H.-S. Kim (Kyonggi-Do, Korea)	10
Development of enzyme sensors based on the gas permeation with the use of a hollow fiber membrane	
Y. Iida, Y. Chiba, K. Matsumoto, T. Noda and I. Satoh (Kanagawa, Japan)	19
Removal of an endotoxin fragment (lipid A) with an endotoxin-retentive filter	
K. Kokubo, K. Futatsugi, H. Tsukao, T. Shinbo, M. Hirose and H. Kobayashi (Kanagawa, Japan)	25
Design of lipoprotein-adsorbed liposomes retaining Mn-porphyrins for SOD mimic delivery to brains	
M. Kanehisa, S. Asayama and H. Kawakami (Tokyo, Japan).....	31
Mechanical properties of microporous foams of biodegradable plastic	
T. Tanaka, T. Aoki, T. Kouya, M. Taniguchi, W. Ogawa, Y. Tanabe (Niigata, Japan) and D.R. Lloyd (Austin, TX, USA)	37
Monitoring of membrane damages by dialysis treatment: Study with membrane chip analysis	
T. Shimanouchi, E. Oyama, H.T. Vu, H. Ishii, H. Umakoshi and R. Kuboi (Osaka, Japan)	45
Comparison of shell side mass transfer correlations in randomly packed hollow fiber membrane modules	
S. Shen, K.H. Smith, S.E. Kentish and G.W. Stevens (Parkville, Australia)	52
Multilayer ceramic deposition process of dense oxygen permeation membranes on porous supports	
Y. Takahashi, Y. Ando, A. Kawahara, M. Hirano and W. Shin (Aichi, Japan)	57
Preparation and properties of silica/poly(vinyl alcohol) organic–inorganic hybrid gas barrier films via sol–gel method with microwave irradiation	
K. Kuraoka, A. Hashimoto and H. Ashihara (Kobe, Japan)	66
Carbon nanotube based composite membranes for water desalination by membrane distillation	
L. Dumée (Clayton and Melbourne), K. Sears, J. Schütz, N. Finn (Clayton), M. Duke and S. Gray (Melbourne, Australia)	72
Effects of high-pressure carbon dioxide on the demulsification of O/W emulsion	
S. Nagao, T. Takahashi, A. Shono and K. Otake (Tokyo, Japan)	80
Significant role of membrane fouling and microbial community on the performance of membrane bioreactor (MBR) system	
R.C. Eusebio, Y.-H. Cho, M. Sibag, H.-G. Kim (Kyonggi-Do), T.-H. Chung (Seoul) and H.-S. Kim (Kyonggi-Do, Korea)	90
Preparation of nanoporous inorganic membrane on supports with graded structure	
H. Negishi (Tsukuba), T. Tsuru (Higashi-Hiroshima), K. Nouzaki (Kumamoto), T. Kitazato (Noda), K. Sakaki and H. Yanagishita (Tsukuba, Japan)	99
Prediction of pervaporation performance of aqueous ethanol solutions based on single gas permeation	
J. Wang, T. Yoshioka, M. Kanezashi and T. Tsuru (Higashi-Hiroshima, Japan)	106
Synthesis of novel mixed matrix scaffolds and adsorption of copper ions of wastewater	
T.-Y. Hsien, Y.-H. Lien and D.-M. Wang (Taipei, Taiwan, R.O.C.)	113
Preparation of hydrogen separation membranes using disiloxane compounds	
H.R. Lee, M. Kanezashi, T. Yoshioka and T. Tsuru (Higashihiroshima, Japan).....	120

Introduction of various quaternary ammonium salts as cationic binding sites in partially-hydrolyzed poly(ethylene-co-vinyl acetate) films Y. Hirata, T. Kawasumi and K. Hamada (Nagano, Japan).....	127
Removal of VOC from water by pervaporation with a hollow-fiber silicone rubber membrane module J. Xu and A. Ito (Tokyo, Japan).....	135
Superior molecular size screening and mass-transfer characterization of calcium alginate membrane K. Kashima, M. Imai and I. Suzuki (Kanagawa, Japan).....	143
Gelation behavior with acetylation of chitosan for membrane preparation T. Takahashi, A. Yamada, A. Shono, K. Otake (Tokyo) and M. Imai (Kanagawa, Japan).....	150
The filtration characteristics of hollow fiber microfiltration — Effect of various kinds of solids in the excess activated sludge K. Kawasaki, H. Tanimoto, R. Nagasaki and A. Matsuda (Ehime, Japan)	155
Inorganic filler selection in PDMS membrane for acetone recovery and its application in a condenser-gas membrane system E.L. Vivas, A.B. Beltran, H.R. Cascon, J. Ahn (Yongin City), E.S. Cho (Seoul) and W.J. Chung (Yongin City, Korea)	160
Surface graft polymerization acrylic acid onto bamboo charcoal and to improve ammonia adsorption K.-S. Chen (Tatung), W.-Y. Chen (Taipei), S.-C. Liao, Y.-T. Haung (Tatung), S.-C. Chen (Taipei), H.-R. Lin (Tainan) and F.-H. Lin (Taipei, Taiwan).....	168
Formation of microporous membranes of poly(1,4-butylene succinate) via nonsolvent and thermally induced phase separation T. Tanaka, M. Takahashi, S. Kawaguchi, T. Hashimoto, H. Saitoh, T. Kouya, M. Taniguchi (Niigata, Japan) and D.R. Lloyd (Austin, TX, USA)	176
Preparation and characterization of microporous PVDF membrane by thermally induced phase separation from a ternary polymer/solvent/non-solvent system M. Liu, Z.-l. Xu, D.-g. Chen and Y.-m. Wei (Shanghai, China).....	183
Filtration characteristics of carbon nanotubes and preparation of buckypapers T. Tanaka (Niigata, Japan)	193
Characterization of hydrophilic hollow fiber membranes prepared from poly(vinyl alcohol) M. Higa, K. Toyota and T. Sugimoto (Ube Yamaguchi, Japan)	199
A novel sulfonated poly(arylene ether ketone) reverse osmosis membrane: Effect of casting condition on separation characteristics I. Yum, D. Jeong, J. Oh and Y. Lee (Daejeon, Korea).....	204
Pervaporative dehydration of ethanol–water solution through asymmetric PC membrane surface modified via residual air plasma-induced graft polymerization of HEMA M. De Guzman, K.-R. Lee and J.-Y. Lai (Chung-Li, Taiwan)	210
A numerical analysis for CO ₂ recovery from aqueous absorbent solution by hollow fiber membrane contactor J. Oh, D. Jeong, I. Yum and Y. Lee (Daejeon, Korea).....	218
Hepatocyte spheroids formed on rubbed polyimide membrane for cell transplantation Y. Karube, S. Asayama, M. Osoegawa, N. Matsuno and H. Kawakami (Tokyo, Japan)	227
Hydrogen separation membrane encapsulating Pd nanoparticles in a silica layer K. Nagata (Nara), M. Miyamoto (Kyoto), Y. Fujioka (Nara and Kyoto) and K. Yogo (Nara and Kyoto, Japan)	233
Removal of VOCs from their aqueous solution by pervaporation with PDMS-zeolite composite membrane D. Jeong, J. Oh, I. Yum and Y. Lee (Daejeon, Korea).....	242
Organic fouling behavior of anion exchange membranes prepared from chloromethyl styrene and divinylbenzene N. Tanaka, M. Nagase and M. Higa (Yamaguchi, Japan)	248
Electrodialytic transport properties of cation exchange membranes prepared from poly(vinyl alcohol) and poly(vinyl alcohol-co-2-acrylamido-2-methylpropane sulfonic acid) M. Nishimura, E. Shimizu and M. Higa (Ube Yamaguchi, Japan)	255
Effect of diluents on the characteristics of cellulose diacetate membranes prepared via thermally induced phase separation method K. Hirami, Y. Ohmukai, T. Maruyama and H. Matsuyama (Kobe, Japan)	262
Optical resolution with membranes derived from marine polymers Y. Iwamoto, M. Yoshikawa (Kyoto), K. Yamaoka and N. Ogata (Chitose, Japan).....	268

Analysis of solidification rate of polymer solutions during PVDF membrane fabrication via TIPS method K. Nakatsuka, Y. Ohmukai, T. Maruyama and H. Matsuyama (Kobe, Japan).....	275
Preparation of superoxide dismutase LIPOzyme in hollow fiber membrane module H. Sugaya, H. Umakoshi, K.B.M.A. Fadzil, L.Q. Tuan, T. Shimanouchi and R. Kuboi (Osaka, Japan)	281
Preparation of silica hybrid membranes for high temperature gas separation M. Nomura, K. Momma, Y. Negishi, E. Matsuyama and S. Kimura (Tokyo, Japan).....	288
Solid-liquid phase separation of poly-4-methyl-1-pentene/diluent system via thermally induced phase separation H. Tao, Q. Xia, S. Chen, J. Zhang (Nanjing) and X. Wang (Beijing, China)	294
Author Index.....	304

