

Papers presented at the conference on Membranes in Drinking and Industrial Water Treatment – MDIW 2010, June 27–30, 2010, Trondheim, Norway

Calculating particle log reduction values based on pressure decay tests on Multibore® hollow fibre membranes M. Heijnen, P. Buchta, R. Winkler and P. Berg (Greifenberg, Germany)	4245
Long-time membrane experience at Torreele's water re-use facility in Belgium E. Van Houtte and J. Verbauwheide (Koksijde, Belgium)	4253
The study of electron equivalent fluxes about decomposition of sulfamethazine and sulfathiazole using oxygen-based membrane biofilm reactor J. Kim, J. Suk, D. Nam, K. Ha and Y. Choung (Seoul, Korea)	4263
Influence of the water height in aeration regimes with the same membrane diffuser on technical characteristics of aeration system M. Stanojević (Belgrade, Serbia), M. Ševaljević (Zrenjanin, Serbia), S. Simić (Modriča, Bosnia and Herzegovina) and M. Ševaljević (Zrenjanin, Serbia)	4271
Fluorescent nano particle application for a membrane surface integrity test: Sensitivity, stability, and reliability of the particles S.H. Choi (Newark, DE, USA), J. Yang (Gyeonggi-do, Korea), B.-G. Choi and J. Cho (Seoul, Korea)	4283
Review and prospects of desalination as a water supply method in China S. Liu and K.M. Persson (Lund, Sweden)	4291
Influence of crossflow microfiltration on ceramic membrane fouling and beer quality M.A. Kazemi, M. Soltanieh, M. Yazdanshenas (Tehran, Iran) and L. Fillaudeau (Toulouse, France).....	4302
Removal of mixtures of viruses using microfiltration membrane S.S. Madaeni (Kermanshah), A. Khorasani (Hesarak), M. Asgharpour (Kermanshah), S.A. Ghosheshi (Tehran) and M. Lotfi (Hesarak, Iran)	4313
Potential of ceramic microfiltration and ultrafiltration membranes for the treatment of gray water for an effective reuse P. Bhattacharya, S. Sarkar, S. Ghosh, S. Majumdar, A. Mukhopadhyay and S. Bandyopadhyay (Kolkata, India)	4323
Recovering bioethanol from olive bagasse fermentation by nanofiltration T. Brás, M.C. Fernandes (Beja and Aveiro), J.L.C. Santos and L.A. Neves (Beja and Caparica, Portugal)	4333
Derivation of the permeation equation for diffusion of gases and vapors in flat membrane by using Laplace transform M. Zgařar, M. Dubcová, M. Šúpek and K. Friess (Prague, Czech Republic)	4343
Removal of NaCl using facilitated up-hill transport through bulk liquid membranes containing dibenzo-18-crown-6 M.M. Naim, A.A. Moneer and M.M. Elewa (Alexandria, Egypt)	4350
Removal of fluoride and total dissolved solids from coalbed methane produced water with a movable ultra-low pressure reverse osmosis system X. Liu, Z. Hu, C. Zhu, G. Wen and X. Meng (Beijing, China)	4359
Efficient removal of fluoride using new composite material of biopolymer alginate entrapped mixed metal oxide nanomaterials S.K. Swain (Ranchi), T. Patnaik (Cuttack) and R.K. Dey (Ranchi, India).....	4368

Comparison of nutrient removal and bacterial communities between natural zeolite-based and volcanic rock-based vertical flow constructed wetlands treating piggery wastewater X. Huang, C. Liu, C. Gao, Z. Wang, G. Zhu, L. Liu (Xiamen) and G. Lin (Putian, China)	4379
Insight to rapid removal of Pb(II), Cd(II), and Cu(II) from aqueous solution using an agro-based adsorbent <i>Sorghum bicolor</i> L. biomass M. Salman, M. Athar, U. Farooq, S. Nazir and H. Nazir (Lahore, Pakistan)	4390
Removal of Cd(II) onto <i>Raphanus sativus</i> peels biomass: equilibrium, kinetics, and thermodynamics M.A. Ashraf (Kuala Lumpur, Malaysia), M.A. Rehman (Multan, Pakistan), Y. Alias and I. Yusoff (Kuala Lumpur, Malaysia)	4402
Adsorptive removal of cadmium (II) using <i>P. oceanica</i> biomass: effect of NaCl concentration on equilibrium and kinetic parameters F. Krika, N. Azzouz (Jijel, Algeria) and M.C. Ncibi (Guadeloupe, France)	4413
Removal of lead, cadmium, copper, and arsenic ions using biosorption: equilibrium and kinetic studies A.H. Sulaymon, A.A. Mohammed and T.J. Al-Musawi (Baghdad, Iraq)	4424
Mathematical model for the removal of trace metal by complexation-ultrafiltration P. Sarkar, S. Prabhakar, D. Goswami and P.K. Tewari (Mumbai, India)	4435
Removal of heavy metals from aqueous solutions by Algerian bentonite F. Mohammed-Azizi, S. Dib and M. Boufatit (Algiers, Algeria)	4447
A pretreated green biosorbent based on Neem leaves biomass for the removal of lead from wastewater M.N. Zafar, A. Parveen and R. Nadeem (Faisalabad, Pakistan)	4459
Management of tannery wastewaters: treatment of spent chrome tanning bath and vegetable tanning effluents S. Tahiri, J. Hassoune (El Jadida, Morocco), S.A. Younsi (Mohammedia, Morocco), M. El Krati (El Jadida, Morocco), A. Albizane (Mohammedia, Morocco), M.L. Cervera and M. de la Guardia (Burjassot, Spain)	4467
Bacterial-aerosol emission from wastewater treatment plant M. Malakootian (Kerman, Iran), N. Radhakrishna (Melbourne, Australia), M.P. Mazandarany (Kerman, Iran) and H. Hossaini (Tehran, Iran)	4478
Treatment of industrial wastewater with high content of polyethylene glycols by Fenton-like reaction system (Fe ⁰ /H ₂ O ₂ /H ₂ SO ₄) T. Mackul'ak, J. Prousek, L. Švorc, J. Ryba, J. Škubák and M. Drtil (Bratislava, Slovak Republic)	4489
Quality assessment of treated wastewater in Kuwait and possibility of reuse it to meet growing water demand S.B. Al-Shammari, B. Al-Khalaf, F. Al-Sharaifi (Faiha) and A.M. Shahalam (Safat, Kuwait).....	4497
Biodegradation of tetrachloroethylene-rich synthetic wastewater in anaerobic hybrid reactor S. Mitra and S.K. Gupta (Jharkhand, India)	4506
Biosorption of methylene blue by natural and chemical modified wheat straw in fixed-bed column X. Ren, X. Zhang, L. Zhang and R. Han (Zhengzhou, China)	4514
Biosorption of cadmium, manganese, nickel, lead, and zinc ions by <i>Aspergillus tamarii</i> İ. Şahin, S.Y. Keskin and C.S. Keskin (Sakarya, Turkey)	4524
Removal of acid yellow-17 dye from aqueous solution using eco-friendly biosorbent M.A. Ashraf (Kuala Lumpur, Malaysia), M. Hussain, K. Mahmood, A. Wajid (Bahawalpur, Pakistan), M. Yusof, Y. Alias and I. Yusoff (Kuala Lumpur, Malaysia)	4530
Optimization of biosorption parameters of Hg(II) from aqueous solutions by the buckwheat hulls using respond surface methodology M. Xu, P. Yin, X. Liu, X. Dong, Y. Yang, Z. Wang and R. Qu (Yantai, China)	4546
Toxicity analysis of azo Red BS and Methyl Red dye solutions on earthworm (<i>Pheretima phosthuma</i>), micro-organisms, and plants S. Gupte, H. Keharia and A. Gupte (Gujarat, India).....	4556
Cost-effective hybrid adsorbent facilely prepared with dye waste and calcium fluoride for adsorption of organic contaminants D. Zhao, Z. Deng, X. Liu, W. Yin, X. Zhang and Y. Wu (Guangzhou, China).....	4566
Color removal from aqueous solutions of metal-containing dye using pine cone F. Deniz (Gaziantep, Turkey)	4573

Application of aqai stalks as biosorbent for the removal of Evans Blue and Vilmafix Red RR-2B dyes from aqueous solutions L.D.T. Prola, E. Acayanka, E.C. Lima, C. Bestetti, W.O. Santos (Porto Alegre, Brazil), F.A. Pavan (Yaoundé, Cameroon), S.L.P. Dias (Porto Alegre, Brazil) and C.R.T. Tarley (Londrina, Brazil)	4582
Continuous reuse of water and electrolyte from decolorized reactive dyebaths V. López-Grimau, C. Gutiérrez-Bouzán, J. Valdeperas and M. Crespi (Terrassa, Spain).....	4593
Adsorption of 2,4-dichlorophenol from aqueous solution by activated carbon derived from moso bamboo processing waste G.-q. Wu, X.-y. Sun, H. Hui (Nanjing), X. Zhang (Shanghai), J. Yan and Q.-s. Zhang (Nanjing, China).....	4603
Optimization of conditions for Cu(II) adsorption on 110 resin from aqueous solutions using response surface methodology and its mechanism study Q. Jia, C. Xiong, X. Chen, S. Zhou, C. Yao and C. Ma (Hangzhou, China)	4613
Combination of cold-induced aggregation microextraction and central composite design for preconcentration and determination of copper in food and water samples N.S. Amiri, F. Shemirani and R. Khani (Tehran, Iran)	4622
Solid phase microextraction method for characterizing the organic fraction of an industrial brine stream J.F.B. Lima (Porto, Aveiro and Estarreja), A.G. Da Costa (Estarreja), C.M. Silva, F.A. Da Silva (Aveiro) and A. Mendes (Porto, Portugal).....	4630
Kinetic and equilibrium studies of the adsorption of Cd(II) from aqueous solutions by wood apple shell activated carbon A.S. Sartape, A.M. Mandhare, P.P. Salvi, D.K. Pawar and S.S. Kolekar (Kolhapur, India)	4638
Preparation and modification of porous lightweight ceramsite and its performance investigation M. Lu, G.-H. Xia, R.-H. Liao and X.-D. Zhao (Jingdezhen, China)	4651
Statistical analysis of equilibrium and kinetic data for ascorbic acid removal from aqueous solution by activated carbon Ç. Sarıci-Özdemir and Y. Önal (Malatya, Turkey)	4658
Pb ²⁺ adsorption behavior of calix[4]arene based Merrifield Resin A.A. Bhatti, A.A. Bhatti, I.B. Solangi and S. Memon (Jamshoro, Pakistan).....	4666
Adsorption of metal ions from aqueous solution onto microalga entrapped into Ca-alginate gel bead K. Kondo, K. Hirayama and M. Matsumoto (Kyoto, Japan)	4675
Numerical investigation for the supersonic steam jetting flow in the thermal vapor compressor Y. Yang, S. Shen, S. Zhou, R. Liu and H. Yu (Dalian, China)	4684
Demonstration of an energy recovery device well suited for modular community-based seawater desalination systems: Result of Danfoss iSAVE 21 testing V. Pikalov, S. Arrieta, A.T. Jones (El Dorado Hills, CA, USA) and J. Mamo (Gzira, Malta)	4694
Carbon credit earned by some designs of solar stills S. Kumar (Delhi, India) and K.T. Kurmaji (Zawia, Libya)	4699
Gypsum scale formation on heated metal surfaces: The influence of polymer type and polymer stability on gypsum inhibition Z. Amjad (North Canton, OH, USA)	4709
Kinetic evaluation and modeling for batch degradation of 2-hydroxybiphenyl and 2,20 -dihydroxybiphenyl by <i>Corynebacterium variabilis</i> Sh42 S.F. Deriase, S.A. Younis and N.S. El-Gendy (Cairo, Egypt)	4719
Influence of velocity gradient and rapid mixing time on flocs formed by polysilica iron (PSI) and polyaluminum chloride (PACl) T.S. Aktas, M. Fujibayashi, C. Maruo, M. Nomura and O. Nishimura (Sendai, Japan)	4729
Identifying the major pollution sources and pollution loading status of Qiputang River in Taihu Lake basin of China T.-Y. Huang, W. Wu (Suzhou) and W.-W. Li (Hefei, China).....	4736
Photodegradation of para-nitrophenol catalyzed by Fe ₂ O ₃ /FeS nanocomposite H.R. Pouretedal (Shahin-Shahr) and M. Tavakkoli (Shahreza, Iran)	4744
Degradation of bromamine acid by a heterogeneous Fenton-like catalyst Fe/Mn supported on sepiolite X. Fei, W. Li, L. Cao, J. Zhao and Y. Xia (Tianjin, China)	4750

Large scale constructed wetland implementation projects in Turkey in Salt Lake special environmental protection area K. Gunes, B. Oktar, S. Ayaz, A.S. Gunay (Kocaeli, Turkey), G. Ozden (Izmir, Turkey), K. Disbudak, C. Senduran, T. Dikerler, E. Metin (Ankara, Turkey), F. Masi (Firenze, Italy), B. Kaya, L. Turkben (Izmir, Turkey) and B. Tuncsiper (Nigde, Turkey)	4758
Fluidization of fine particles and its optimal operation condition in multimedia water filter R.N. Mohammed, S. Abualhail and X. Lv (Nanjing, China)	4768
Corrigendum to “Modeling of adsorption isotherms and kinetics of Remazol Red RB adsorption from aqueous solution by modified clay” [<i>Desalination and Water Treatment</i> Volume 51 Issues 13–15 (2013) 2726–2739] S. Karaca, A. Gürses, Ö. Açıslı, A. Hassani, M. Kıranşan and K. Yıkılmaz (Erzurum, Turkey)	4779
Author Index.....	4780