

Contents

Volume 57 Issue 41

| | |
|---|-------|
| Role of hygroscopic triethylene glycol and relative humidity in controlling morphology of polyethersulfone ultrafiltration membrane P.C. Tan and S.C. Low (Nibong Tebal, Malaysia) | 19051 |
| Anaerobic membrane bioreactors—a mini review with emphasis on industrial wastewater treatment: applications, limitations and perspectives L. Dvořák (Liberac, Stráž pod Ralskem), M. Gomez (Liberac), J. Dolina (Liberec, Stráž pod Ralskem) and A. Černín (Stráž pod Ralskem, Czech Republic) | 19062 |
| Application of the central composite design for the treatment of soft drink factory wastewater in two-stage aerobic sequencing batch reactors combined with ozonation M. Ahmadi, N. Amiri, M. Pirsahab and P. Amiri (Kermanshah, Iran) | 19077 |
| Determination of repeatability, leakage, and reaction order in emulsion liquid membrane processes L. Gurel (Denizli) and H. Buyukgunor (Samsun, Turkey) | 19087 |
| Analysis of a diverse bacterial community and degradation of organic compounds in a bioprocess for coking wastewater treatment Xiaojun Meng, Haibo Li, Yuxing Sheng, Hongbin Cao and Yuxiu Zhang (Beijing, China) | 19096 |
| Effects of properties on formation of aerobic granular sludge under different organic loadings Hao Xu, Xia Zhao (Lanzhou), Hai-hua Li (Shenzhen), He-ming Luo (Lanzhou), Zhong-lin Chen (Harbin) and Liu Yang (Lanzhou, China) | 19106 |
| Stability of emulsion liquid membrane and membrane phase reaction spectrum study of $\text{NH}_3 \cdot \text{H}_2\text{O}$ system Chengzhi Jiang and Xuke Sun (Shenyang, China)..... | 19112 |
| Study of water quality in Hindon River using pollution index and environmetrics, India S. Mishra, A. Kumar (Uttarakhand) and P. Shukla (Allahabad, India) | 19121 |
| Cost-benefit analysis of using treated sewage for landscaping in Lahore city, Pakistan A. Yasar, M. Zakria, A. Bari Tabinda and M. Afzaal (Lahore, Pakistan) | 19131 |
| Physico-chemical and radon analysis of drinking water available in Samtah-Jazan city southwest of Saudi Arabia H.M. Hassan (Beni-Suef, Egypt and Jazan, Saudi Arabia) and D.H. Shabaan (Cairo, Egypt and Jazan, Saudi Arabia) | 19140 |
| Desalinated seawater into pilot-scale drinking water distribution system: chlorine decay and trihalomethanes formation Xunchao Li, Cong Li, Mingda Bayier, Taotao Zhao, Tuqiao Zhang, Xinbo Chen and Xinwei Mao (Hangzhou, China)..... | 19149 |
| Genetic programming for modeling and optimization of gas sparging assisted microfiltration of oil-in-water emulsion A. Asadi Tashvigh, F. Zokaei Ashtiani and A. Fouladitajar (Tehran, Iran) | 19160 |
| Comparison of two precipitation methods for the orthophosphate removal from wastewater I. Wysocka and J. Sokołowska (Olsztyn, Poland) | 19171 |
| Identification and denitrification characterization of a novel hypothermia and aerobic nitrite-denitrifying bacterium, <i>Arthrobacter arilaitensis</i> strain Y-10 Teng-Xia He and Zhen-Lun Li (Chongqing, China)..... | 19181 |
| Assembly of transition metal ion on cellulose surface anchored with azo-Schiff base and its catalytic activity for H_2O_2 decomposition Kai Zhang, Aiqin Gao, Chao Zhang and Kongliang Xie (Shanghai, China) | 19190 |
| Coagulation efficacy of a tannin coagulant agent compared to metal salts for paint manufacturing wastewater treatment M.A. Aboulhassan (Al Hoceima, Morocco), S. Souabi (Mohammedia, Morocco), A. Yaacoubi (Marrakech, Morocco) and M. Baudu (Limoges, France) | 19199 |

| | |
|--|-------|
| Synthesis of glutamic-modified polyether copolymer as a novel non-phosphorous inhibitor for calcium carbonate scales in cooling water systems Zhen Wu, Yuming Zhou, Qingzhao Yao, Huchuan Wang, Yanmei Liu, Weiting Tao, Xueyuan Chu (Nanjing), Wei Sun and Wenda Wu (Changzhou, China) | 19206 |
| Preparation of iron oxide-based porous ceramsite from goethite and application for city wastewater treatment in biological aerated filters Teng Bao, Tianhu Chen (Hefei, China), M.-L. Wille (Brisbane, Australia), Xuehua Zou (Hefei, China), R.L. Frost (Brisbane, Australia), Chengsong Qing (Hefei and Chuzhou) and Dong Chen (Hefei, China) | 19216 |
| Effect of basicity and hydrophobicity of amines on their adsorption onto charcoal B. El-Eswed (Zarqa, Jordan) | 19227 |
| Application of response surface methodology for optimization of operational variables in photodegradation of aqueous styrene under visible light N. Keramati (Semnan), N. Fallah and B. Nasernejad (Tehran, Iran) | 19239 |
| Characterization, adsorption, and electrokinetic properties of modified sepiolite P.T. Beyli, M. Doğan, M. Alkan (Balıkesir), A. Türkyılmaz (Kastamonu), Y. Turhan, Ö. Demirbaş and H. Namli (Balıkesir, Turkey) | 19248 |
| Pretreatment of landfill leachate by using the composite of poly ferric sulfate and bioflocculant MBFR10543 Junyuan Guo (Chengdu, China) | 19262 |
| Random forest model for removal of methylene blue and lead(II) ion using activated carbon obtained from tamarisk F. Heydari (Marvdasht), M. Ghaedi (Yasouj), A. Ansari (Marvdasht) and A.M. Ghaedi (Gachsaran, Iran) | 19273 |
| Photocatalytic degradation of methyl blue by tourmaline-coated TiO ₂ nanoparticles Xuesen Bian and Rong Ji (Nanjing, China)..... | 19292 |
| Effective removal of methylene blue from aqueous solution by MnO ₂ -modified porous CoFe ₂ O ₄ microrods Shengbiao Li, Zhigang Jia, Zhiyu Li and Jianhong Liu (Ma'anshan, China) | 19301 |
| Exploration of calcium doped zinc oxide nanoparticles as selective adsorbent for extraction of lead ion S.B. Khan, H.M. Marwani, A.M. Asiri and E.M. Bakhash (Jeddah, Saudi Arabia) | 19311 |
| Modified synthesis of nanoscale zero-valent iron and its ultrasound-assisted reactivity study on a reactive dye and textile industry effluents S. Dutta, A. Ghosh, S. Satpathi and R. Saha (Durgapur, India) | 19321 |
| Increased removal of Reactive Blue 72 and 13 acidic textile dyes by <i>Penicillium ochrochloron</i> fungus isolated from acidic mine drainage P. Aytar, D. Bozkurt, S. Erol, M. Özdemir and A. Çabuk (Eskisehir, Turkey) | 19333 |
| Decolorization kinetics of Acid Blue 161 by solid peroxides catalyzed by iron in aqueous solution A.G. Trovó (Uberlândia, Brazil), P. Senivs, Ü. Palmiste (Miami, FL, USA), M. Sillanpää (Lappeenranta, Finland) and W.Z. Tang (Miami, FL, USA) | 19344 |
| Comparative study on photocatalytic decolorization of an anionic and a cationic dye using different TiO ₂ photocatalysts N. Laid, N. Bouanima, R. Zouaghi and T. Sehili (Constantine, Algeria) | 19357 |
| Magnetically modified multiwalled carbon nanotubes for the adsorption of bismarck brown R and Cd(II) from aqueous solution: batch and column studies T.A. Khan, M. Nazir and E.A. Khan (New Delhi, India) | 19374 |
| Removal of hazardous azocoumarin dye from aqueous solutions using activated carbon prepared from rice straw A.Z. El-Sonbati, A.A. El-Binary, K.S. Mohamed (Damietta), A.A. Al-Sarawy (Mansoura) and M.A. Farid (Damietta, Egypt) | 19391 |
| Simultaneous removal of nitrogen and phosphorus using autoclaved aerated concrete particles in biological aerated filters Dong Chen, Chao Yu (Hefei, China), Teng Bao (Hefei, China and Brisbane, Australia), Chengzhu Zhu, Chengsong Qing and Tianhu Chen (Hefei, China)..... | 19402 |
| Nitrate removal by a combined bioelectrochemical and sulfur autotrophic denitrification (CBSAD) system at low temperatures Dan Chen, Tao Dai, Hongyu Wang and Kai Yang (Wuhan, China) | 19411 |
| Cast iron filings-based model for observation of nitrate reduction in corroded system T. Laskowski (Poznań), M. Sroka, A. Olejnik (Warszawa), W. Biernacki and J. Nawrocki (Poznań, Poland) | 19418 |

| | |
|--|-------|
| Statistical modeling and optimization of the phosphorus biosorption by modified <i>Lemna minor</i> from aqueous solution using response surface methodology (RSM) | |
| D. Naghipour, K. Taghavi (Rasht), J. Jaafari (Tehran), Y. Mahdavi (Sari), M. Ghanbari Ghozikali (Tabriz), R. Ameri (Tehran), A. Jamshidi (Yasuj) and A.H. Mahvi (Tehran, Iran) | 19431 |
| A multifunctional nanocomposite pectin thorium(IV) tungstomolybdate for heavy metal separation and photoremediation of malachite green | |
| G. Sharma (Solan, India), Mu. Naushad (Riyadh, Saudi Arabia), D. Pathania and A. Kumar (Solan, India) | 19443 |
| Hydrated ferric oxide (HFO)-encapsulated tea waste for enhanced lead(II), cadmium(II), and copper(II) removal from waters | |
| Shunli Wan, Guobin Liu, Hai He, Nan Qu, Zhaozhao Ma and Yao Xue (Huangshan, China)..... | 19455 |
| Application of reverse osmosis process associated with EDTA complexation for nickel and copper removal from wastewater | |
| J. Rodrigues Pires da Silva (New York, NY, USA), F. Merçon, C.M. Guimarães Costa and D. Radoman Benjo (Rio de Janeiro, Brazil) | 19466 |
| Assessment of the energy needs for the arsenic remediation of drinking water by electrodialysis | |
| M. Fidaleo, S.R. Stazi, V. Vinciguerra, P. Cellucci, R. Marabottini and M. Moresi (Viterbo, Italy) | 19475 |
| A poly (vinyl chloride) functionalized by diethylenetriamine, 2,6-bis-(chloromethyl) pyridine and a crowded aromatic amine. Inductively coupled plasma study of the extraction of La(III) and Bi(III) by modified PVC polymers | |
| F. Ammari, M. Dardouri and F. Meganem (Bizerte, Tunisia) | 19488 |
| Synthesis and characterization of iron sulfide powders and its application for sorption of europium radionuclides | |
| K.F. Allan, S. Labib and M. Holeil (Cairo, Egypt) | 19495 |
| Kinetic modeling and error analysis for zinc removal on a weak base anion exchange resin | |
| E. Gilcă, A. Măicăneanu, A. Ghirisan and P. Ilea (Cluj Napoca, Romania) | 19510 |
| Removal of manganese ions from their aqueous solutions by organophilic montmorillonite (OMMT) | |
| A.A. Bakr, M.A. Betiha, A.H. Mady, M.F. Menoufy and S.M. Dessouky (Cairo, Egypt) | 19519 |
| Biosorption of phenol from aqueous solutions by the <i>Aspergillus niger</i> biomass: comparison of linear and non-linear regression analysis | |
| I. Senturk, H. Buyukgungor and F. Geyikci (Samsun, Turkey) | 19529 |
| Experimental and comparative study of a seawater-cooled surface condenser of LTTD plant with HTRI and Kern method | |
| D. Balaji, R. Abraham, S.V.S. Phani Kumar and M.V. Ramana Murthy (Chennai, India) | 19540 |
| Electrochemical treatment of papermaking tobacco sheet wastewater on β -PbO ₂ and Ti/TiO ₂ -RuO ₂ -IrO ₂ electrodes | |
| Xiangjuan Ma (Hangzhou), Yang Gao (Hangzhou and Beijing), Yanan Cui, Hanping Huang and Jingyi Han (Hangzhou, China) | 19557 |
| Comments on the paper: a critical review of the applicability of Avrami fractional kinetic equation in adsorption-based water treatment studies | |
| E.C. Lima (Porto Alegre), A.R. Cestari (São Cristovão, Brazil) and M.A. Adebayo (Abeokuta, Nigeria) | 19566 |
| Author Index | 19572 |