

Contents
Volume 73

*Selected papers presented at the EDS conference on Desalination for the Environment:
Clean Water and Energy, Rome, Italy, 22–26 May 2016*

Process of geothermal water treatment by reverse osmosis. The research with antiscalants B. Tomaszewska, M. Rajca, E. Kmiecik, M. Bodzek, W. Bujakowski, M. Tyszer, K. Wątor (Poland)	1
A comparative study of some novel "green" and traditional antiscalants efficiency for the reverse osmotic Black Sea water desalination A. Pervov, A. Andrianov, G. Rudakova, K. Popov (Russia)	11
Investigation of SWRO membrane failures of two different configurations A.M. Farooque (Saudi Arabia)	22
Influence of dynamic operation of reverse osmosis systems on fluid dynamics and mass transfer by investigation of 2-D spacer filled channels A. Präbst, F. Kiefer, A. Kroiß, M. Spinnler, T. Sattelmayer (Germany)	30
Antiscalant cost and maximum water recovery in reverse osmosis for different inorganic composition of groundwater A. Ruiz-García, J. Feo-García (Spain)	46
An experimental system for characterization of membrane fouling of solar photovoltaic reverse osmosis systems under intermittent operation M. Freire-Gormaly, A. Bilton (Canada)	54
Heat transfer prediction on flat solar collectors for the water purification system integrated to an absorption heat transformer T. Hernández, S.G. Pérez, O. Flores, J.A. Hernández, D. Juárez-Romero, A. Álvarez, A. Huicochea, J.V. Galaviz-Rodríguez (Mexico)	64
Operating and maintenance cost in seawater reverse osmosis desalination plants. Artificial neural network based model A. Ruiz-García, J. Feo-García (Spain)	73
Optimal operating condition for a type parabolic trough collector with low-cost components using inverse neural network and solved by genetic algorithm E.D. Reyes-Téllez, R.A. Conde-Gutiérrez, J.A. Hernández, E. Cardoso, S. Silva-Martínez, F.Z. Sierra, O. Cortés-Aburto (Mexico)	80
Criteria for improving the traditional artificial neural network methodology applied to predict COP for a heat transformer E. Martínez-Martínez, B.A. Escobedo-Trujillo, D. Colorado, L.I. Morales, A. Huicochea, J.A. Hernández, J. Siqueiros (Mexico)	90
Experimental investigation of a solar desalination with humidification–dehumidification using a rotating surface M. Abu-Arabi (Jordan and Kuwait), M. Al-Harahsheh, R. Tashtoush, H. Mousa, A. Al-Ottoom (Kuwait)	101
Performance and cost evaluation of an autonomous solar vacuum membrane distillation desalination plant Z. Triki, M.N. Bouaziz (Algeria), M. Boumaza (Saudi Arabia)	107
Integrated approach for brackish water desalination and distribution: which desalination technology to choose? K. Minyaoui, H. Hchaichi (Tunisia), M. Pontie (France), A. Hannachi (Tunisia)	121
Experimental study of inlet effects on mass transport in electrochemical filter-press parallel reactors G. Rodríguez, F.Z. Sierra-Espinosa, A. Álvarez, F. Carrillo (Mexico)	127
Experimental analysis and techno-economic study of once through long tube MSF desalination plants A.M. Mahmoud, Yeonghyeok Kim, R. Ben Mansour, A. Al-Aithan, Younggeun Lee, S. Ahmed, H. Varshney, Hyunchul Chung, K. Bamardouf, O.A. Hamed, A. Al-Ghamdi, F.A. Abu Derman (Saudi Arabia)	137

In-out ultrafiltration in tertiary wastewater applications – Comparison of different operational strategies P. Buchta, A. Kripahle, D. Vial, R. Winkler, P. Berg (Germany)	145
Utilization of membrane processes for separation of succinic acid after fermentation of <i>Miscanthus</i> biomass M. Kuglarz, K. Grübel, J. Bohdziewicz (Poland)	155
Automated prototype for desalination by emulsion liquid membrane technique M.M. Naim, A.A. Moneer, A.A. El-Shafei, M.M. Elewa (Egypt)	164
Performance analysis of a dual component evaporator-absorber of an absorption heat transformer J. Delgado-Gonzaga, A. Huicochea, J. Torres-Merino, I. Canela-Sánchez, D. Juárez-Romero (Mexico)	175
Desalination by directional freezing: an experimental investigation M.M. Naim, M.M. Elewa, A.A. Moneer, A.A. El-Shafei (Egypt)	185
Prevention of scaling during the desalination of geothermal water by means of nanofiltration M. Rajca, M. Bodzek, B. Tomaszewska, M. Tyszer, E. Kmiecik, K. Wątor (Poland)	198
Analysis of high efficiency membrane pilot testing for membrane design optimisation F.A. Leon, A. Ramos (Spain)	208
Pilot study of the key design and operation parameters of a pressure retarded osmosis (PRO) system for SWRO-PRO hybrid desalination Kyungmi Chung, In-Ho Yeo, Won il Lee, Young Khee Oh, Tae-Shin Park, Yong-Gyun Park (Korea)	215
Groundwater geochemistry and environmental isotopes of the Hodna area, Southeastern Algeria A. Amroune, A. Boudoukha, A. Boumazbeur (Algeria), L. Benaabidate (Morocco), E. Guastaldi (Italy)	225
Fouling-resistant brush-like oligomers of poly(3-aminophenol) N. Nady, N. Salem, A. H. El-Shazly, H.M. Soliman, S.H. Kandil (Egypt)	237
Maximising flux in direct contact membrane distillation using nanofibre membranes T. Jiříček, M. Komárek, J. Chaloupek, T. Lederer (Czech Republic)	249
Transforming membrane technologies as appropriate technologies through cost-effective enhancements V. Jegatheesan (Australia), S. Dockko, Seung Hwan Lee (Korea), Li Shu, F. Roddick, A. Akbarzadeh (Australia)	256
Economic efficiency of small mobile desalination system powered by renewable energy in Egypt D.E. Abo Zaid (Egypt)	262
Application of silver-, iron-, and chitosan- nanoparticles in wastewater treatment M.M. Naim, A.A. El-Shafei, M.M. Elewa, A.A. Moneer (Egypt)	268
Treatment of synthetic dye wastewater by using Fe/CuO particles prepared by co-precipitation: parametric and kinetic studies Y. Asci, M. Cam (Turkey)	281
Removal of Methyl Red, a cationic dye, Acid Blue 113, an anionic dye, from wastewaters using chitin and chitosan: influence of copper ions Y. Sağ Açıkel, B. Göze (Turkey)	289
Application of pseudo-emulsion hollow fiber strip dispersion system for the removal of propylparaben from the aqueous solutions B.P. Parihar, M. Chakraborty, S. Gupta (India)	301
Utilization of eco-friendly gelatin for Cr(VI) adsorption Ş. Parlayıcı, E. Karakuzu, A.S. Baybara, K. Tuna, E. Pehlivan (Turkey)	308
Chromium (VI) adsorption by polymeric PEEK-WC/Aliquat-336 microspheres L. Ouazine, S. Bey (Algeria), A. Criscuoli (Italy), M. Benamor (Algeria), E. Drioli, A. Figoli (Italy)	316
Produced water treatment technologies: how to compare by LCA methodology V. Piemonte, G. Losito, L. Di Paola, M. De Falco, M. Capocelli, M. Prisciandaro (Italy)	323
Influence of electrodes connection mode and type of current in electrocoagulation process on the removal of a textile dye M. Tiaiba, B. Merzouk, A. Amour, M. Mazour (Algeria), J.-P. Leclerc, F. Lapicque (France)	330
Implementation of QA/QC program in research related to the membrane processes used in geothermal water treatment E. Kmiecik, B. Tomaszewska, K. Wątor, M. Bodzek, M. Rajca, M. Tyszer (Poland)	339
Use of resin technology for removal of oil from industrial wastewater P. Carmona, F. Haslam, S. Das, V. Gomez, E. Jové, V. Garcia Molina (Spain)	348
Simulation and experimental validation of Taylor-Couette flow in square cross-section container for water treatment reactor F.Z. Sierra-Espinosa, I. A. Escamilla-Ruiz, M.L. Rodríguez, A. Álvarez-Gallegos, F. Carrillo, J. Teloxa (Mexico)	353

The effect of activation temperature on properties of activated carbon prepared from wine industry pressing waste D. Angin, S. Sarikulce (Turkey)	373
Removal of tetracycline by magnetic chitosan nanoparticles from medical wastewaters P. Raeiatbin, Y. Sağ Açıkel (Turkey)	380
Removal of catechol from aqueous solutions by adsorption using low cost activated carbon prepared from <i>Eichhornia crassipes</i> A. Kumar, A. Jash, R. Priyadarshinee, B. Sengupta, D. Dasguptamandal, G. Halder, T. Mandal (India)	389
Fabrication and evaluation of activated carbon/Fe ₂ O ₃ nano-composite on the removal of strontium ions from water A.K. Fard, G. McKay, H. Preud'Homme, V. Kochkodan, M.A. Atieh (Qatar)	399
Effects of pre-ozonation in case of microfiltration of oil contaminated waters using polyethersulfone membrane at various filtration conditions G. Veréb, M. Zakar, I. Kovács, K. Pappné Sziládi, Sz. Kertész, C. Hodúr, Zs. László (Hungary)	409
Membrane fouling control by means of TiO ₂ coating during model dairy wastewater filtration I. Kovács, Sz. Kertész, G. Veréb, I.Z. Papp, Á. Kukovecz, C. Hodúr, Zs. László (Hungary)	415
Management of irrigation water and nutrient demands of tomato (<i>Lycopersicon esculentum</i> Mill.) using urban treated wastewater from a pilot-scale horizontal subsurface flow system constructed wetland in Sicily (Italy) M. Licata, S. La Bella, G. Virga, C. Leto, T. Tuttolomondo (Italy)	422
Author Index	440