



In honour of the Desalination World Icon Miriam Balaban



Desalination for the Environment

Clean Water and Energy

20–23 June 2022

Las Palmas de Gran Canaria, Las Palmas, Spain
Palacio de Congresos de Canarias

Supported by



Platinum sponsor



المؤسسة العامة لتحلية المياه المالحة
Saline Water Conversion Corporation (SWCC)

Gold sponsors



Toray Membrane Europe AG



Silver sponsors





adiquímica



Making fluid energy work for you



Media partners





Desalination for the Environment: Clean Water and Energy
20–23 June 2022, Las Palmas de Gran Canaria, Spain

Book of Abstracts – Contents

Inside-to-out ultrafiltration membranes for the treatment of wastewater containing powdered activated carbon D. Vial, P. Buchta, R. Winkler, P. Berg	175
New technology to treat leachate by low pressure reverse osmosis A. Pervov, T. Shirkova, V. Frenkel	176
Modification of the design of the spiral wound membrane element in order to reduce the linear pressure drop and increase its mechanical strength V. Dzyubenko, V.D. Kuzin	176
Brine recirculation and other high recovery SWRO process innovations utilizing isobaric energy recovery devices R.A. Bosleman, J.G. Martin	177
Thin film composite polyamide membranes embedded with <i>Acacia</i> gum: performance and antifouling properties Y. Manawi, M. Atieh, V. Kochkodan	177
Hybrid ceramic membranes for pretreatment of saline water Y. Manawi, V. Kochkodan, M. Hussien	178
A new process for boron removal in desalination plants using deep eutectic solvents G. Alm Mustafa, R. Sulaiman, I. Adeyemi, M. Kumar, H.A. Arafat, E. Nashef	178
Diversifying water supply to increase resilience: The Cape Town experience G. Kaiser	179
New generation of dissolved air floatation: combination of reliability and boosted performance C. Barbe, D. Pastorelli	180
Vasilicos Desalination Plant in Cyprus A. Komodromos	180
Performance analysis of a full-scale SWRO desalination plant A. Ruiz-García, A. Ramos-Martín, F.A. León	181
Water production by RO for paint manufacturing in the automotive industry F.A. León, A. Ramos-Martín	181
Low-cost continuous measurement system to learn the relationship between the electrical conductivity “EC” and the temperature “T” in brackish waters F.A. León, A. Ramos-Martín, C. Mendieta	182
Proposal to determine the carbon and ecological footprint of seawater reverse osmosis desalination plants considering the energy mix. Case of study for the Canary Islands F.A. Leon, A. Ramos Martín, Y. Falcón Alvarado, S. Brito	182
Novel spacer designs and spacer surface chemistry modification for reduced scaling in MD N. Thomas, M. Kumar, O. Al-Ketan, R. Alnuaimi, E. Alhseinat, G. Palmisano, R. Rowshan, R. Abu Al-Rub, H.A. Arafat	183
The cost of environmental protection in the desalination plants of Alicante R. Navarro, J.L. Sánchez Lizaso	183
Energy analysis of a seawater reverse osmosis (SWRO) desalination system for small marine vessels G.N. Marichal Plasencia, J. Camacho-Espino, D. Ávila Prats, J.A. Rodríguez Hernández, F. San Luis Gutiérrez	184
Mitigation of climate change through the analysis and reduction of greenhouse gases in desalination plants N. El Kori, B. Del Rio-Gamero, J. Schallenberg-Rodríguez, S. Cabrera-Del Rosario	184
Enzymatic-chemical cleaner formulation for cleaning organic and biological foulants D. Vidal, A. Sankhe, R. Furukawa	185
Proposal for a simple method for calculating biogas production in natural treatment systems for livestock wastewater T. Garcia-Ramirez, A. Ramos-Martin, S. Brito-Espino, C. Mendieta-Pino, F.A. Leon	185

Evaluation of the combustion system, in a laboratory scale, for the energy use of the solid from activated sludge treatments of urban wastewater C.A. Mendieta-Pino, V. Henriquez-Concepción, A. Ramos-Martín, J. Waswani-Reboso, F. Romero-Artiles, F.A. Leon	186
Estimation of the combustion potential of the solid from livestock wastewater with natural treatment systems C.A. Mendieta-Pino, V. Henriquez-Concepción, A. Ramos-Martín, J. Waswani-Reboso, F. Romero-Artiles, F.A. Leon	186
Monitoring of membrane fouling by the zeta potential T. Luxbacher, H. Buksek, I. Petrinic	186
The use of natural minerals for the replenishment of magnesium into drinking water following desalination A. De Luca, N.C. Nelson, A. Bouton, M. Fuest	187
A comprehensive methodological approach to develop and compare integrated treatment processes for the valorisation of wastewater effluents M. Micari, A. Cipollina, M. Moser, A. Tamburini, G. Micale, V. Bertsch	188
Assessing the use of photovoltaic energy at a seawater reverse osmosis desalination plant: a case study of Porto Santo Desalination Plant (Madeira – Portugal) E.J. Medina Domínguez, R. Parra Batista, J.M. de León Izquier	189
Membrane cleaning procedures: performance of commodities vs. formulated cleaners N. Peña García, V. Velasco, J. Rodriguez, F. del Vigo, M. Fazel, S. Chesters	189
The role of alternative water resources for agricultural irrigation in the Canary Islands B. Peñate Suárez, D. Romero Manrique, V. Cabello Villarejo, A. Musicki Savic, A. Guimaraes Pereira	190
SWRO O&M: Partial replacement with TFN membranes in Maspalomas I SWRO A. Lagartos, J. Carlos Gonzalez, S. Gallego, E. Rozenbaum, Hoon Hyung, J.C. de Armas	191
Case study: Reduction in energy consumption with second generation TFN membranes in La Caleta SWRO (Canary Islands, Spain) A. Lagartos, R. Santos, J.C. de Armas, F.J. García Martín	192
In situ microstructural analysis of biofilm developed in filtration systems S. Kerdi, A. Qamar, A. Alpatova, N. Ghaffour	192
Influence of polyamide-layer surface morphology on reverse osmosis membrane scaling – A visualization case study on CaCO ₃ scaling N.R. Sarker, P. Cherukupally, J. Wilbur, A. Bilton	193
Theoretical and experimental investigation on vacuum assisted AGMD (V-AGMD): Effect of design and operation parameters Yusik Kim, Yongjun Choi, Jihyeok Choi, Jaehyun Ju, Sangho Lee	195
Characterization of biofouling in spacer filled membrane filtration channels using optical coherence tomography T. Huisman, B. Blankert, Sz. Bucs, J.S. Vrouwenvelder	195
Optimization of membrane distillation modules configuration through CFD calculations, validated experimentally for brine treatment S. Soukane, N. Ghaffour	196
Sewage sludge and the ignition of an experimental combustor: state of the art in biomass approach F. Romero-Artiles, C. Mendieta-Pino, J. Vaswani-Reboso, A. Ramos-Martín, V. Henríquez-Concepción, F.A. Leon	196
Method for stable operation for an integrated stand-alone downsized diesel engine and solar PV generator system for powering a reverse osmosis plant D. Echeverria-Santos, A. Ramos-Martín, V. Henriquez-Concepción, J. Valencia-Santana, C. Mendieta-Pino, F.A. Leon	197
Innovative membrane process with microfiltration and reverse osmosis treating the effluent (wastewater) produced in a cheese industry (cheese whey) to get “waste 0” and sub-products A. Caballero, B. Morgado, P. Caballero, L. Martín, J. Parrado, F.A. Leon, A. Ramos-Martín	197
The importance of fouling-resistant membrane elements – the FilmTec™ SW30XFR-400/34 G. Gilabert-Oriol, D. Arias, V. García-Molina, G. Massons, C. Niewersch	198
The importance of long-term stable performance of reverse osmosis elements G. Gilabert-Oriol, B. Salgado, V. García Molina, D. Arias, J. Warczok	198
Wave to energy and water – desalination via Wavepiston wave energy converter H. Kauranne, J. Wedel-Heinen, M. Henriksen	199
Influence of temperature in the performance of a non-stirred anaerobic bioreactors for the wastewater treatment S. Brito-Espino, A. Ramos-Martín, C. Mendieta-Pino, S.O. Pérez-Báez, F. León	200
Analysis of brine management from the perspective of the sustainable development goals A. Gil Trujillo, J.J. Sadhwani Alonso	200

A fouling comparison study of algal, bacterial, and humic organic matters in seawater desalination pretreatment using UF ceramic membranes M.A. Namazi, Sheng Li, S.A.A. Tabatabai, G.L. Amy, N. Ghaffour, T.O. Leiknes	201
Nutrient limitation strategy for biofouling control in seawater reverse osmosis membranes Z. Borjas, C. Bayona, A. Picazo, E. Ferrero, O. Ferrer, J. Malfeito	201
Innovative high recovery seawater reverse osmosis desalination scheme C. Bayona, J. Carvalho, D. García-Huertas, C. Repollès, B. Nelemans, O. Ferrer, J. Malfeito	202
Environmentally friendly liquid cleaner for cost-effective reverse osmosis membrane cleaning N. Adroer, A. Cirugeda, I. Marian, A. Cardona, E. Cortada, J. Aumatell	203
Breakthrough dry seawater reverse osmosis elements M.A. Perez Macia, D. Arias Peña, H. Al-Omar, V. García-Molina, G. Gilabert-Oriol	204
MITIMAC. Climate change mitigation through innovation in water cycle using low carbon technologies N. El Kori, S.O. Pérez Báez, A. Gómez Gotor	205
Microbial desalination cell for low energy drinking water production in Canary Island N. Hernández-Ibáñez, P. Rodenas, J.M. Ortiz, J. Arevalo, V.M. Monsalvo, A. Esteve-Nuñez, F. Rogalla	206
Exploring novel filter media as pretreatment of reverse osmosis N. Hernández-Ibáñez, D. Amador Cabezali, J. Arevalo, V.M. Monsalvo, F. Rogalla	208
Electrodialysis processes for minimizing waste production in phosphoric acid plants L. Monat, O. Nir	209
Redox potential effect of bisulfite in brackish water with the presence of chlorine dioxide, chlorite, chlorate and metals J.A. Salvadó, E. Ferrero, S. Navea, C. Repollés, J.J. Malfeito	210
Design, development and demonstration of a large-scale MD plant (400 m ³ /d) Yonghyun Shin, Hyeongrak Cho, Yongjun Choi, Sangho Lee	210
Ultrafiltration as a pretreatment in a seawater reverse osmosis desalination plant I. Suárez, N. Melián-Martel, B. Del Río-Gamero	211
Simulation of bipolar membrane electrodialysis (BMED) units by a validated process model A. Culcasi, A. Zaffora, L. Gurreri, A. Cipollina, A. Tamburini, G. Micale	211
Desalinated seawater for crop production in closed soilless systems with drainage treatment P. Terrero, M. Calzada, E. Campos, D. Zarzo, J.F. Maestre, B. Gallego, B.M. Górriz, V. Martínez Álvarez, P.M. Membrive, D. Valera	212
Recycled NF and UF membranes: pilot plant results P. Terrero Rodríguez, E. Campos Pozuelo, M. Calzada Garzón, R. García Pacheco, F. Molina, D. Pomata, M. López, J. Landaburu, E. García Calvo, D. Zarzo Martínez	213
Design and construction of a high energy-efficient BWRO desalination plant in the south east of Spain R. Buendía Candel, D. Zarzo Martínez, C. García Soto, F. Molina Serrano, P. Terrero, E. Campos Pozuelo, M. Calzada Garzón	213
Treatment of electroplating wastewater by combined membrane technologies and reactive precipitation process at a pilot scale A. Ruiz-Aguirre, P. Hurtado, R. Gueccia, S. Randazzo, A. Cipollina, G. Micale, J. Leuter, F. Gross, D. Winter, G. Zaragoza	214
The use of natural hydrostatic pressure for seawater desalination: theory, practical applications, and considerations D. Bertram	215
New aspects of concentration-polarization in reverse osmosis and nanofiltration: theory and practice O. Nir	215
Effect of intermittent and variable flux operation on fouling of reverse osmosis (RO) membrane in seawater desalination Song Lee, Jihyeok Choi, Heungsik Yang, Yongjun Choi, Sangho Lee	216
GIS-based graphical user interface tools for analyzing solar thermal desalination systems and high-potential implementation regions V. Fthenakis, G. Yetman, A. Atia, Zhuoran Zhang, J. Squires, D.-C. Alarcón-Padilla, P. Palenzuela, G. Zaragoza	216
Investigation of membrane distillation affected by scale formation during concentration of seawater brines S. Schilling, H. Glade	218
CFD parametrical study of spacer-filled channels for membrane processes L. Gurreri, I. El Mokhtar, S. Al Tahar Bouguecha, A. Tamburini, A. Cipollina, M. Ciofalo, G. Micale	218
Highly efficient high-pressure pumps and energy recovery devices for retrofitting J. Lorenzo	219

A novel 2D process model of electrodialysis units in cross-flow layout for the assessment of membrane deformation effects	
G. Battaglia, L. Gurreri, A. Tamburini, A. Pirrotta, A. Cipollina, M. Ciofalo, G. Micale	219
A novel 2D model for the assessment of deformation-induced flow redistribution phenomena in electrodialysis units	
G. Battaglia, L. Gurreri, A. Tamburini, A. Pirrotta, A. Cipollina, M. Ciofalo, G. Micale	220
Lessons learnt from the operation of solar membrane distillation pilot plants	
G. Zaragoza, J.A. Andrés-Mañas, I. Requena, A. Ruiz-Aguirre	221
Operational long-term experience in solar desalination of seawater using a commercial vacuum multi-effect membrane distillation system	
J.A. Andrés-Mañas, I. Requena, J.D. Gil, L. Roca, G. Zaragoza	222
Technical and economic analysis of ultrafiltrated rain water for potability powered by photovoltaic energy	
S.R. Cominetti Baú, A. Pandolfo, M. Bevegnú, G.O. Moraes Giubel, V.B. Brião, M.H. Shaheed	222
Membrane distillation for solar applications	
B. Nelemans	223
Long term operation of hollow fiber ultrafiltration plants	
F. Knops, K.B. Slot, S. Lluch	224
Innovative solar thermal-driven desalination systems based on solar microgas turbines: SOLMIDEFF project	
L. García-Rodríguez, D. Sánchez, R.G. Almenara, Á. Silván-Zafra, A. Muñoz Blanco, G.S. Martínez	224
BWRO operation optimization with energy recovery devices	
J.M. Pinto, B. Salgado, E. Kadaj, A. Mokbel	225
Current status and future outlook of sustainable seawater reverse osmosis desalination as “green desalination” in the 21st century	
M. Kurihara	225
Machine Learning saves energy in seawater reverse osmosis plant	
M.B. Dixon, N. Herold, C. MacLean, J. Quaintance, T. Pritchard, N. Palmer	227
Towards an energy-efficient waste water recycling in industry: Extending conventional application ranges of pressure-driven membrane processes	
Ch. Kleffner, G. Braun	227
Efficient membrane distillation systems and their prospective role in industrial water desalination and reuse	
G. Braun, C. Kleffner	228
Cleaning complex metal foulants from membranes	
M. Fazel, N. Pena, S.P. Chesters	229
Water conservation in greenhouses using membrane-based desalination technologies for regeneration of liquid desiccants	
P. Pasqualin, R. Lefers, M. Tester, P. Davies	229
Desalination processes optimization by online monitoring surrogates and specific composing parameters. The case of online LSI measurement and its benefits	
L. Navarro	230
UF membrane fouling by sodium alginate in salinity conditions to mimic biofouling during desalination of seawater	
I.H. Alsohaimi	230
Performance of a free-piston batch-RO desalination system	
E. Hosseinipour, L. Burlace, T. Naughton, P. Davies	231
Justification of batteryless PV-EDR for desalination in humanitarian emergencies	
J. Bessette, A.G. Winter	231
Energy recovery system and its impact on the Copiapó SWRO plant operability and availability: a “real world” lifecycle cost analysis	
R.A. Bosleman, P.J. Miranda	232
Desalination of the Jordan River – a challenging task	
T. Fabian, I. Sutzkover-Gutman	233
Optimum design of PV-RO system solar powered seawater desalination without storage in Saudi Arabia (case study)	
K. Al-Shail, O. Javier	233
Control of biofouling related risks by methods reducing the environmental footprint and optimising RO plant performance in the Gulf of Oman	
G. Bourguignon, H. Polman, E. Looker, C. Ventresque	234
Hybrid advanced oxidation process for the removal of dyes from synthetic industrial wastewaters	
A. Colangeli, V. Innocenzi, M. Prisciandaro	234

Donnan dialysis for drinking water production: a circular process for increased water recovery and remineralization P.A. Sosa-Fernandez, H.D.M. Sombekke, H.J. Zwijnenberg, R.G. van Lin, T. Visser, W.G.J. van der Meer, W.M. de Vos	235
Assessment of processes to increase the lifetime and potential reuse and recycling of reverse osmosis membranes towards a circular economy. Case of study of Cape Verde and Macaronesia area T. Tavares, J. Tavares, F.A. León-Zerpa, B. Peñate-Suárez, A. Ramos-Martín	236
Wetting behaviour and scaling propensity of polymer composite evaporator tubes for brine concentration J.-H. Imholze, S. Schilling, H. Glade	237
Seawater desalination with TFN membranes in the Canary Islands: over 10 years of experience B. Calderon Arroyo, A. Lagartos, E. Rozenbaum	237
Filtration of salts in polyelectrolyte-modified nanofiltration membranes S. Sigurdardóttir, M. Pinelo	238
Antifouling efficiency and high-flux ultrafiltration membrane comprising sulfonated poly (ethersulfone) and TNTs-g-PSPA nanofiller S.F. Alruwaili, I.H. Alsohaimi, M.Y. El-Sayed, H.M.A. Hassan, A.M. Aldawsari, A.A. Alshahrani, T.S. Alraddadi	238
Comparative study for the performance of 10 and 20 µm cartridge filters in a large scaledesalination plant A. Albiladi	239
Evaluating the performance of chitosan and chitosan-palm membrane for water treatment: preparation, characterization and purification study A.A. Alshahrani, M. Alsuhybani, M.S. Algamdi, D. Alquppani, I. Mashhour, M.S. Alshammari, I.H. Alsohaimi, T.S. Alraddadi	239
Evaluating the performance of chitosan and chitosan-palm membrane for water treatment: preparation, characterization and purification study A.A. Alshahrani, M. Alsuhybani, M.S. Algamdi, D. Alquppani, I. Mashhour, M.S. Alshammari, I.H. Alsohaimi, T.S. Alraddadi	240
Cleaner and efficient membrane systems for better water desalination and water reuse V.A. Yangali Quintanilla, D.M. Dominiak, H.K. Rehmeier	240
Continuous evolution of control technology V.A. Yangali Quintanilla	241
Subsidizing water cost by value-adding to desalination plant concentrate: key criteria for success C.M. Fellows	241
Bisphenol removal in water by micellar enhanced ultrafiltration O. Kochkodan, V. Kochkodan	242
Societal and economic aspects of a novel circular system for the valorisation of desalination brine and waste heat from a power plant S. Randazzo, A. Krishnan, D. Xevgenos, M. Palmeros Parada, G. Gamboa, A. Cipollina, G. Micale	242
Experimental evaluation of a low-cost zero liquid discharge system driven by a micro gas turbine R. González-Almenara, D. Sánchez, L. García-Rodríguez	243
Energetic and economic comparison of solar powered multi-effect desalination (MED) with different configurations E. Almatrafi, A. Bamasag	243
Experimental analysis of a reverse osmosis membrane suitable for wave powered desalination T.K. Das, M. Folley, C. Frost	244
Case study: the use of a novel antiscalant to prevent iron fouling in a brackishwater RO system M. Malki, D. Strongone	244
E-hyrec® technology R. Ciacciarelli, G. Bonfedi, C. Lanari, F. Rubertelli, A. de Folly d'Auris, N. Zubin, S. Lodab, M. Baric	245
Design of marine outfalls for reducing environmental impact of brine E. Pita, P. Pita, M. Sánchez-Barriga, L. Martín, J. Olalde	245
Experimental study of flow and fouling in a membrane channel using micro-particle image velocimetry H. Fadhila, J. Stafford, P. Davies	246
Development of operational technology for ultrapure water process based on digital twin Jeongwoo Moon, Heewon Jeong, Sora Shin, Joon Ha Kim	247
BioPhree: next generation solution to remove and re-use phosphate; no more biofouling in membrane systems? P. de Jager, R. Busiauskaitė, K. Baas	247
Novel polypyrrole/zirconia tubular ultrafiltration membrane developed for efficient Congo red dye rejection and desalination G. Derouich, S. Alami Younssi, D. Beqqour, J.A. Cody, J. Bennazha, M. Ouammou, M. Rabiller-Baudry	248

Upscaling large-area machining of complex structures through multi-modal laser processing R. McCann, A.S. Cholkar, D. Kinahan, D. Brabazon	248
Assessment of the integration of a MED-TVC plant into a solar tower with Brayton cycle J.M. Serrano, P. Palenzuela, J. Bonilla, B. Ortega-Delgado, D.C. Alarcón-Padilla	249
Energy recovery and jet quality evaluations of flow injection nozzle In Hyuk Jung, Youhwan Shin	249
Standardized and decentralized nanofiltration potable water plants for remote locations F. Knops	250
Development of new isobaric energy recovery device S. Judge, B. Schneider	251
Industrial scale pilot at Maspalomas I desalination plant demonstrates the efficiency of DuPont™. B-Free™ pre-treatment – a new breakthrough solution against biofouling G. Massons, G. Gilabert-Oriol, S. Arenas-Urrera, J. Pordomingo, J.C. González-Bauzá, E. Gasia, M. Slagt	253
Development of a novel method for biofilm visualization on reverse osmosis membranes G. Massons, G. Gilabert-Oriol, V. Garcia Molina, Can Wu	254
Photoactive PVDF membranes for direct solar membrane distillation M. Pagliero, I. Rizzardi, R. Firpo, C. Costa, A. Comite	254
Methodology for the implementation of a steady state simulation model in a multi-effect distillation plant. Case study: PSA MED pilot plant J.M. Serrano, P. Palenzuela, L. Roca	255
Residence time distribution in reverse osmosis/nanofiltration spiral-wound modules in a laboratory scale desalination unit S. Chamam, A. Hannachi	256
CFD modeling of concentration polarization in full size spiral wound element with a commercial feed spacer B. Blankert, H. Vrouwenvelder, C. Picioreanu	256
Advanced technologies and solutions in thermoplastics for marine intakes and outfalls in desalination M. Ebster, A. Lueghamer	256
Retrofitting SWRO to increase capacity without modifying intake or pretreatment R. Weaver, G. Barassi	257
Water-Energy-Food nexus: an opportunity for promoting socio-economic development in Algeria N. Drouiche, O. Rodriguez Villarreal, S. Ouali, S.E.I. Lebouachera	258
Use of vacuum enhancement in multi-envelope membrane distillation modules: effects on internal hydraulics I. Requena, J.A. Andrés-Mañas, G. Zaragoza	258
Water treatment by polyethyleneimine enhanced ultrafiltration membrane for heavy metals removal M. Amara, I. Boughachiche, M. Derradji, M. Adjadj, E.H. Chelghoum, B. Chelghoum	259
Carbon footprint in the treatment of urban wastewater in peripheral or insular territories: Example in analysis of Canary Island (Phase 1: Inventory) R. Lorenzo-Quijada, J. Vaswani-Reboso, F.A. Leon, A. Ramos-Martín, S.O. Pérez-Báez	259
Nitrogen and phosphorus recovery and separation from agricultural wastewater effluents – role of electrically conductive membranes A. Ronen	260
Reactive membranes for membrane distillation A. Ronen, A. Anvari	261
Clean in place for the cartridge filters system in a large scale desalination plant A.A. Abutaleb, Byung Sung Park, N. Voutchkov, A.S. Al Amoudi	261
Assessment of water-energy-waste resources in rural houses in Gran Canaria Island, as a tool for the climate change mitigation C.A. Mendieta-Pino, A. Ramos-Martín, F.A. Leon, F.A. Déniz-Quintana, M.L. Rodríguez-Pérez	262
Proposal of a Climate Change Mitigation tool implemented through an Integrated and Resilient System (IRS) to monitor and measure operation variables for Natural Depuration Systems for livestock farm wastewater effluents in islands and isolated territories M.L. Rodríguez-Pérez, C.A. Mendieta-Pino, F.A. Leon, A. Ramos-Martín	262
Design of a small-scale thermal vapour compression system driven by low-temperature solar heat B. Shahzamanian, S. Varga, J. Soares, A.C. Oliveira	263
Biofilm formation on SWRO membranes caused by planktonic bacterial aggregates from pretreatment and rotary energy recovery devices H. Winters	263
Making seawater desalination more sustainable: a techno-economic analysis based on circular economy approach N.D. Pawar, T. Pregger	264

Polymer-based thermal water treatment systems for highly corrosive solutions and high-concentration applications	
N. Borgmann, T. Heinzl	264
Treating challenging industrial wastewater by membrane distillation: understanding the impact of the fouling	
L. Fortunato, H. Elcik, B. Blankert, N. Ghaffour, J. Vrouwenvelder	265
Valorization of vegetal residues from invasive species for wastewaters treatment	
J. Vaswani Reboso, Z. Ortega Medina, I.M ^a Ángulo Suárez	266
Impact of hydraulic retention time and membrane pore size on submerged gravity-driven membrane performances for seawater pre-treatment	
L. Ranieri, L. Fortunato, J. Vrouwenvelder	266
New automatic control system to optimize biocide dosing for stable RO operation	
Y. Ohtsuka, K. Hayakawa, D. Sae-Tae, D. Johnson	267
Performance improvement of dual media filter in Ras Al Khair desalination plant	
Byungsung Park, A.A. Abutaleb, N. Voutchkov, A.S. Al Amoudi	268
Modeling and optimal control of convection-enhanced evaporation (CEE) system for a modular, cost-effective brine volume reduction	
M.F. Kaddoura, N.C. Wright	268
Novel functionalized graphene oxide for capacitive deionization	
A. Pedico, S. Bocchini, E. Tresso, A. Lamberti	269
Separation of drugs by commercial nanofiltration membranes and its modelling	
V. Nayak, J. Cuhorka, P. Mikulášek	269
Multistage reverse electrodialysis with natural waters: a long term pilot study on performance and fouling	
C. Simões, B. Vital, M. Saakes, T. Sleutels, W. Brilman	270
Effluent pH determines electrochemical nitrogen recovery efficiency demonstrated at pilot scale	
M. Rodrigues, J. Barbosa, S. Molenaar, T. Sleutels, B. Hamelers, C. Buisman, P. Kuntke	271
Effects of current on the membrane and boundary layer selectivity in electrochemical systems designed for nutrient recovery	
M. Rodrigues, T. Sleutels, P. Kuntke, C.J.N. Buisman, H.V.M. Hamelers	272
On the development of flow capacitive deionization for sustainable recovery of lithium from saltworks bitterns	
H.M. Saif, T.H. Gebregeorgis, A.G. Gebretatios, R.M. Huertas, J.G. Crespo, S. Pawlowski	272
Sustainability, exploitation and future market uptake – a market analysis	
R.G. Simon, D. Frank, K. Meixner, K. Wendler, T. Track	273
Experimental designs and preliminary results of the study of the adequacy of desalinated water for the irrigation of bananas in the north of Tenerife	
D. Sáenz-Pisaca, J. Taño-Pereyra, D. Machín-Herrera, A. Marrero-Domínguez	274
Modification of commercial NF membranes with polyelectrolyte multilayers to enhance selective removal of divalent cations from brine of seawater desalination plants	
M.R. Moradi, A. Pihlajamäki, M. Mänttari	274
3D-printed ion-exchange materials for recovering valuable elements from the seawater brines	
A. Suerbaeva, E. Repo, C. Garcia Redondo, R. Pericet Cámara, M. Reig, M. Figueira Alves, C. Valderrama, J.L. Cortina, V. Korovin	275
Membrane reactor concept for the removal of arsenic from drinking water supplies	
S. Velizarov, C. Galinha, J.G. Crespo	275
Investigation on wetting mechanisms and wetting dynamic in plasmonic silver/PVDF membranes for desalination by photothermal membrane distillation	
T. Eljaddi, C. Cabassud	276
Potentials for critical raw materials recovery from Mediterranean saltworks bitterns	
S. Randazzo, F. Vicari, J. López, M. Salem, D. Baaklini, S. Pawlowski, S. Karayilan, R. Cucchiara, R. Lo Brutto, S. Azzouz, S. Chamam, S. Cataldo, M. Fernández de Labastida, V. Vallès, H.M. Saif, G. Micale, A. Tamburini, E. Kucuk, A. Pettignano, G. D'Alì Staiti, D. Pastorelli, J.G. Crespo, A. Hannachi, J.L. Cortina, A. Cipollina	278
Carbon footprint reduction of desalination plants through the retrofit of lime dosing systems	
N.C. Nelson, A. DeLuca	279
Modeling pH effects on transport and rejection of ions in reverse osmosis membranes	
E.M. Kimani, M. Pranić, S. Porada, A.J.B. Kemperman, I.I. Ryzhkov, W.G.J. van der Meer, P.M. Biesheuvel	279
Monitoring and characterization of biofouling development in a membrane fouling simulator (MFS) supplied with UF pre-treated seawater from the Red Sea	
N. Franco Clavijo, K. Huisman, B. Blankert, J. Vrouwenvelder	280
Mineralization of persistent organic pollutants using a novel electrochemical advanced oxidation process	
R.G. Simon, K.-M. Mangold	281

Development of the membrane for osmotically assisted reverse osmosis (OARO) and its commercial applications T. Nakao, E. Özdemir, N. Masumoto	281
Progress in the seawater desalination using renewable energy sources Z.M. Ghazi, S.W.F. Rizvi, W.M. Shahid, A.M. Abdulhameed, H. Saleem, S.J. Zaidi	282
Operating parameters influencing the performances of a solar powered hollow fiber membrane distillation module G. Alfonso, S. Laborie, C. Cabassud	282
Performance evaluation of forward osmosis modules via computational fluid dynamics and porous media flow models S. Rampriyan, B. Ray	284
Novel membrane processes for target elements recovery F. Ferrari, S. Casas, A. Gual, A. Nogalska, E. Fernandez-Llamazares, L. Cortina, C. Valderrama, M. Reig, M. Figueira, A. Pihlajamäki, R. Moradi	285
Proposal for collaborative work between various research groups from Senegal and Spain to enhance innovative capacities in the integral water cycle to favor the mitigation of climate change in the ultraperipheral regions A. Coly, C. Samsédine Sarr, B. Faty, F.A. Leon, A. Ramos-Martin, S.O. Perez-Baez	285
Plasma technology and functionalization treatments for membranes N. Portolés, L. Bautista, M. Boerrigter, P.F. de Castro	286
Water desalination using polyelectrolyte hydrogel. Gibbs ensemble modelling O.V. Rud, M. Laktionov	287
Fluctuant and intermittent operation affecting membrane integrity in batteryless solar energy-powered membrane desalination systems Yang-Hui Cai, A.I. Schäfer	287
New ceramic membrane for wastewater treatment: phosphate and oil removal Y. Manawi, J. Lawler, V. Kochkodan	288
NewSkin services portfolio for desalination and water treatment — from pumps to membranes and filtering media C. del Castillo, D. Kinahan, L. Bautista, M. Fahland, V. Freger	289
NewSkin: Open calls and the role of EU funded open innovation test beds to accelerate the transfer for KET to key industries C. del Castillo, O. Ormond, E. Scheers	289
Investigation on magnesium hydroxide recovery from real bitterns G. Battaglia, M.A. Domina, R. Lo Brutto, J.L. Rodriguez, M. Fernandez de Labastida, J.L. Cortina, A. Pettignano, A. Cipollina, A. Tamburini, G. Micale	290
Acid and alkaline production from multi-ionic brines via electrodialysis with bipolar membranes A. Filingeri, J. Lopez Rodriguez, A. Culcasi, A. Cipollina, A. Tamburini, G. Micale	291
A feasibility study of table salt production from seawater reverse osmosis brine F. Vicari, R. Cucchiara, E. Bautista-Salinas, S. Randazzo, J. Arévalo-Vilches, A. Cipollina, G. Micale, V. Monsalvo-Garcia, A. Tamburini	291
A pilot-scale investigation on magnesium and chemicals recovery from seawater desalination brines F. Vassallo, C. Morgante, A. Cipollina, A. Tamburini, G. Micale	292
Double pass nanofiltration optimization for metal removal in brine mining valorization F. Liberatore, N.E. Moe, Kin Ho Wee, P. Cañada García	293
Chemical products reduction in the ultrafiltration pretreatment of Maspalomas I reverse osmosis desalination plant S. Arenas, J. Pordomingo, C. Ramos, R. Mesa, J. Roo Filgueira	293
Highly efficient high-pressure pumps and energy recovery devices for brine mining applications G. Dönmez, E. Özdemir	294
Oil spill contaminate removal by novel anti-fouling membrane to prevent desalination plants shutdown Zhaoyang Liu, R. Al-Rewaily	294
AQUAMATCH — desalination and salt production A. Ozaydinli	294
Sea-based desalination with renewable energy: turning challenges into solutions. A practical approach J. De Wachter, T. Vandamme, P. Steenacker	295
DIVIDE & CONQUER: Closing the loop of water, nutrient and resource management for irrigation activities A. Romero, M. Pastur, E. Mena, S. Nevado, B. Lefevre, J. Cortina, J. López, C. Castro-Barros, J. Tobella	295
Boron recovery from saltworks brines by ion exchange resins V. Vallès, J. López, M. Fernández de Labastida, A. Leskinen, R. Koivula, J.L. Cortina	296
Author Index	297